



Kubota

ACCESSORIES & ESSENTIALS


ELECTRONICS

TOYS

LUBRICANTS

CHEMICALS

TOOLS & GIFTS



QUALITY BUILT. KEEP IT THAT WAY.

7200005446

WWW.KUBOTA.CA



Kubota Canada Ltd. was formed in 1975 as a Canadian company affiliated with the Kubota Corporation of Osaka, Japan. From day one, Kubota has been committed to providing quality, innovation and value to customers in Canada and around the world. This commitment has earned the Kubota brand a reputation of durability and longevity that is shared by customers and Kubota dealers alike. We are pleased to offer you this catalogue full of Accessories and Essentials to enhance your Kubota experience.

Take pride in being a Kubota owner and show your true colors with these quality products available at your local Kubota dealer.



Kubota®



CONTENTS

CHEMICALS

| | |
|-------------------------|-----|
| Chemicals | 2-3 |
| Spill Containment | 4-5 |

LUBRICATION PRODUCTS

| | |
|-----------------------|-------|
| Lubricants | 6-9 |
| Oil Filter Kits | 10 |
| Grease Guns | 11-12 |
| Lubrication | 13-14 |
| Filter Wrenches | 15 |

FUEL PRODUCTS

| | |
|------------------------------------|-------|
| Fuel Containers | 16 |
| Funnels | 17-18 |
| Pour Spouts | 18 |
| Pumps & Drum Level Indicator | 19 |
| DEF Kits | 20 |

TRACKS

| | |
|--------------------|----|
| CAMSO Tracks | 21 |
|--------------------|----|

ELECTRONICS

| | |
|-----------------------------|-------|
| GPS Tracking | 22 |
| TRICO® Wiper Blades | 23 |
| LED Light Products | 24-25 |
| Radios | 26-27 |
| Custom SSV & SVL Kits | 28 |
| Excavator Kits | 29 |
| Radio Accessories | 30-31 |
| Radio Displays | 31 |

HAY/GRAIN

| | |
|--|-------|
| Portable Grain & Hay Moisture Testers | 32-33 |
| TAMA Products | 34-35 |

POWER SOURCE

| | |
|-----------------------------------|-------|
| Battery Maintenance | 36-37 |
| Alternators & Starters | 38 |
| Jumper Cables & Spark Plugs | 39 |

CARGO CONTROL

| | |
|-----------------------------------|----|
| Cargo Control & Tarp Straps | 40 |
| Cargo Straps | 41 |

TRAILER JACKS & LINKAGE

| | |
|---------------------|-------|
| Trailer Jacks | 42-44 |
| Linkage | 45-49 |
| Assortments | 50 |
| Clevises | 51 |

SHOP & SAFETY

| | |
|--------------------------|-------|
| Lift Equipment | 52 |
| Shop Products | 53-54 |
| Lights | 54-55 |
| Hand Tools | 55-56 |
| Trailer Testers | 57 |
| iGRIP Screw Studs | 58-59 |
| Tire & Bolt Gauges | 60 |
| Safety Products | 61 |
| Gloves | 62-63 |

SPRAYERS

| | |
|----------------|-------|
| Sprayers | 64-65 |
|----------------|-------|

TOOL STORAGE

| | |
|-------------------------------|-------|
| BIGTOOLRACK® | 66-67 |
| Chests & Cabinets | 68 |
| Cargo & Tool Storage | 69 |
| Road Box & Tool Storage | 70 |

PRESSURE WASHERS

| | |
|------------------------|-------|
| Pressure Washers | 71 |
| Jet Series | 72 |
| Geyser Series | 73 |
| Cage Series | 74 |
| Thunder Series | 75 |
| Accessories | 76-77 |

RTV & M7 ACCESSORIES

| | |
|-----------------------|-------|
| RTV Accessories | 78-79 |
| M7 Accessories | 80-81 |

TOYS

| | |
|--------------------------|--------|
| Collectibles | 82-84 |
| Ride-On Toys | 85-88 |
| Tractors | 89 |
| Pull-Back Toys | 90 |
| Preschool | 91 |
| RTV / Construction | 92 |
| Farm & Ranch sets | 93-94 |
| Construction sets | 95-96 |
| Building Blocks | 97 |
| Specialty Toys | 98-101 |

PROMOTIONAL ITEMS

| | |
|-------------------------|-----|
| Promotional Items | 102 |
|-------------------------|-----|


A
B
C

White Lithium Grease

A. 7200002862

- Excellent on all metal parts
- Provides maximum lubrication protection under all types of weather and temperature conditions
- Will not wash off, freeze or melt
- Protects against rust and salt corrosion

Chain Lube

B. 7200002861

- High-performance lubricant blend for use on all exposed roller chains to provide lubrication and corrosion protection, as well as good penetration to points of contact
- Superior surface adhesion to resist water washout and mechanical displacement

Flexi-Film® Corrosion Protection

C. 7200002865

- Use to protect all types of metal surfaces from rust, corrosion and oxidation
- The penetrating and coating action ensures moisture is displaced and further moisture intrusion prevented
- Flexi-Film® will not dry up and flake off
- Flexi-Film® will also provide lubrication to sliding surfaces preventing binding and squeaking


D
E
F

Rust Breaker Penetrating Fluid

D. 7200002864

- Unique, specialized product that works by using freezing / micro-cracking action on the affected areas or surfaces
- Its freezing effect causes surface rust to crack and break away, which then allows the penetrating oils to reach deeper into the affected areas

Foaming Penetrating Spray

E. 7200002863

- Heavy-duty lubricant and penetrant which uses a unique formulation that will penetrate rust, lubricate surfaces and parts that are tight and binding, and repel moisture from surfaces
- The foamy nature of the product assists in the product's ability to stick to the surfaces it is sprayed on

Heavy Duty Brake Cleaner

F. 7200002860

- Our highest quality Brake Cleaner and the only formulation approved and used by most global OEM vehicle manufacturers
- Provides quick and effective cleaning and drying to free brake parts from brake dust, grime and brake fluid build-up to enable the brakes to function properly without any mechanical hindrance



Equipment Wash

A. 7200002866

- Premium all-purpose cleaner
- Enhanced OEM formula

Low Foam Glass Cleaner

B. 7200002858

- Quickly dissolves and removes films and haze without streaking both interior and exterior glass
- Works well on interior chemical films, smoke films and general windshield haze

Heavy Duty Citrus Industrial Parts Cleaner with D-Limonene

C. 7200002859

- Strong, solvent-based, product, specifically designed for the effective removal of adhesive residues on glass and metal surfaces as well as industrial and machine parts

Spray & Shine

D. 7200002867

- Quick detailer, long lasting protection
- Helps keep mud, bugs and light dirt from sticking to the vehicle

Touch Screen Cleaner

E. 7200002868

- For use on any touch screen surface including GPS, vehicle DVD displays, cell phones, tablets and laptops
- Safely removes oil, grease, grime and other non-abrasive stains

Complete Kubota Care Kit

F. 7200002869

- Kit includes: Equipment Wash, Spray & Shine Detailer, Glass Cleaner, Touch Screen Cleaner, 3 Micro Fibre Towels

Anaerobic adhesives engineered to keep nuts and bolts tight under all conditions. No need for lockwashers or other mechanical fasteners. Available in Medium and High Strength formulas.

Medium Strength Thread Locker

50 mL - 72000-02626

10 mL - 72000-02627

- Screws to 3/4"
- Viscosity 1000 cp.
- Torque in lbs/Breakaway 100

High Strength Thread Locker

50 mL - 72000-02628

10 mL - 72000-02629

- Screws to 1"
- Viscosity 500 cp.
- Torque in lbs/Breakaway 200

Counter Top Display

72000-02620



NEW



Commando Spill Containment Kit

77700-09774

- Ideal for transportation, pesticide-hauling vehicles, chemical handlers or haulers. Also ideal for mixing and storage areas.
- Absorbs up to 7 times its' own weight in liquid
- Absorbs spills 3 times faster than the leading brand and does not leave residue behind
- Packed in a highly visible yellow, chemical resistant carry bag
- Fluid pickup rating is 5 gallons per kit
- Each kit includes 2 Chemsorb® GA Diking Tubes (3"x48"), 4 Chemsorb® GA Pillows (16"x9"x2"), 2 HazMat disposal bags, 1 pair 15 mil Nitrile gloves, 1 pair safety goggles, 1 pair Tychem SL Saranex boot covers, and an instruction sheet

NEW



Minuteman Spill Containment Kit

77700-09775

- Ideal spill response kit for transportation, trucking and general chemical spills
- Absorbs up to 7 times its' own weight in liquid
- Absorbs spills 3 times faster than the leading brand and does not leave residue behind
- Comes in a highly visible orange nylon duffel pack
- Pickup rating is 5-6 gallons of liquid per kit
- Each kit includes: 2 Chemsorb® GA Sorbent Pillows (26"x16"x2"), 3 Chemsorb® GA 48" Diking Tubes, a pair of 15 mil nitrile gloves, a pair of safety goggles, Tychem SL Saranex boot covers and 2 HazMat disposal bags with labels

NEW

Shop Service Bay 30 Gallon Kit

77700-09779



- Ideal for manufacturing plants, warehouse, chemical storage, and mixing and loading areas
- Comes in a weatherproof drum
- Absorbs 7 times more liquid than the leading clay brands and does it 3 times faster
- After cleanup, drums can serve as sealed, safe storage and disposal containers for absorbed spill materials
- Each kit includes 15 Chemsorb® GA Diking Tubes, 10 Chemsorb® GA Pillows, 4 HazMat Disposal Bags, 2 Tychem SL Saranex Coveralls, 2 pair Splash Goggles, 2 pair Rubber HazMat Boots, 2 pair 15 mil Nitrile Gloves, 1 Roll Caution Tape, 4 HazMat Labels, 4 non-hazardous waste labels, 1 parts reorder form



NEW

General Absorbent Service & Parts Spill Containment

- Chemsorb® GA (General Absorbent) is the leading lightweight, fast acting absorbent formulated to quickly clean up any liquid or semi-solid spill
- Based on all natural perlite, this product is enhanced with a proprietary de-dusting technology which facilitates ease of use and fast absorption
- Absorbs 7 times more liquid than the leading clay brands and does it 3 times faster
- When swept up, the floor is left clean and dry, leaving a cleaner environment
- Meets all OSHA and EPA standards, it is silica-free and USDA and NSF approved for use in food processing facilities



| Part No. | Description |
|-------------|---|
| 77700-09776 | 1 Gallon |
| 77700-09777 | 5 Gallon |
| 77700-09778 | Service & Parts Spill Containment 30 Gal Loose Bulk |

Chemsorb® Heavy Duty Absorbent Barrel Top Pads

77700-10735

- The 22" diameter universal drum toppers will fit standard 55-gallon drums and stop liquids from reaching the floor
- Universally absorbs all liquids, trapping them inside the dimpled structure
- Rapidly soaks up all liquids, both oil-based and water-based
- Packed 10 per box




NEW

Chemsorb® Oil Only Absorbent Pads

77700-10734

- 15" x 18" — 50 per box
- Absorbs the oil and leaves the water behind
- Hydrocarbon-based fluids stick to the fibers while water is repelled
- Meltblown sorbent pads made from a single layer of strong, uniform polypropylene fibers
- Formulated to quickly clean up hydrocarbon liquids including: oil, gasoline, diesel fuel, aviation fuel, petroleum, kerosene, motor oils and transmission oils
- Incinerates to less than two percent ash, will not mildew and will float indefinitely



NEW

NEW

CHEMSORB

Chemsorb® General Absorbent Woven Diking Tubes

77700-10736

- Surround the most aggressive spill with our rugged 3.5" x 48" diking tubes that absorb oil, fuel, water, coolants and more
- Designed to be rugged and durable enough to survive real world application including: spills, leaks, discharges, drips and leaching
- Pulls the liquid into its' core and traps it, leaving a dry and residue-free surface
- Absorbs up to 7 times its' own weight in liquid—use less product and pick up 5 times more than clay products
- 5 Pack

For reliable and long lasting performance of your Kubota equipment... choose Genuine Kubota lubricants, greases and chemicals

Premium Synthetic Heavy Duty Grease

70000-10401

- Multi-purpose, waterproof, food grade lubricant
- Provides excellent protection from rust and corrosion
- Resistant to extreme temperatures from -40°C to 200°C
- Withstands extreme pressure from heavy loads, high speed



H2Blu Diesel Exhaust Fluid

Jug 5L - 72000-02647

- H2Blu Diesel Exhaust Fluid (DEF) is nontoxic, stable, odorless and colorless
- API certified and meets ISO 22241
- H2Blu offers a guaranteed purity to ensure your equipment meets EPA and Canadian emissions standards while performing at maximum efficiency



Premium UDT Hydraulic/Transmission Fluid

5L Jug 7200003406
20L Pail 7000020007

- Kubota approved fluid incorporating the latest additive technologies
- Premium quality for tractor transmission and hydraulic/wet brakes



- Provides high resistance to temperature breakdown, excellent seal compatibility, and anti-wear protection
- Winter grade

10W-30 Heavy Duty Engine Oil

5L Jug 7200003401
20L Pail 7000010205

- Premium quality, Kubota approved engine oil
- Ideal for most gasoline and diesel engines
- Multigrade for year round use
- Excellent long term protection for on and off highway equipment



15W-40 Heavy Duty Engine Oil

5L Jug 7200003402
20L Pail 7000010005

- Premium quality, Kubota approved engine oil
- Ideal for most gasoline and diesel engines
- Multigrade for year round use
- Excellent long term protection for on and off highway equipment



Hydraulic Excavator Oil

20L Pail 7000010200

- Premium quality hydraulic oil
- Outstanding antiwear protection
- Meets the requirements of Kubota and other equipment manufacturers
- Excellent low temperature fluidity and all season multigrade performance





White RTV Silicone Liquid Gasket

7200002960

- Oxygen sensor safe
- High resistance to temperature, oils, fuel and coolants (250°C)
- Non-corrosive
- Applications: crankcase, plenum chamber, head gaskets, small engines, motorcycle, watercraft, snowmobile, ATV's



Grey Liquid Gasket

7200002959

- Bonds well on irregular surfaces
- Exceptional resistance to gasoline, oil, water, chemicals
- Strong resistance to shock, torque and Vibration
- Temperature Range: -40°C to +150°C
- Applications: engine seal, flanges, screw sections, case seal

Grey RTV Silicone Liquid Gasket

0793505250

- High resistance to temperature, oils, fuel and coolants (250°C)
- Oxygen sensor safe
- Applications: gearbox, transmission, differentials, timing chain covers, most Flanges



Grey No Acid Liquid Gasket

0793560074

- Does not contain phthalate plasticizers
- Excellent chemical resistance against engine oil
- Outstanding mechanical resistance
- Excellent adhesion even to slightly contaminated surfaces
- Extremely fast curing
- Over paintable
- Specifically designed as a liquid gasket for flange surfaces which must resist extreme vibrations e.g. tractor transmission case



Premium Heavy Duty Synthetic Engine Oil SAE 10W-30

1L 7200005297

5L 7200005298

19L Pail 7200005299

208L Drum 7200005300

- Premium quality Kubota approved engine oil for diesel engines and most gasoline engines
- Meets the requirements of all heavy duty diesel engines recommending 10W-30 API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4 engine oils
- Uses Fuel Economy technology



Premium Heavy Duty Engine Oil SAE 15W-40

1L 7200005296

5L 7200005303

19L Pail 7200005304

208L Drum 7200005305

- Premium quality Kubota approved engine oil for diesel engines and most gasoline engines
- Meets the requirements of all heavy duty diesel engines recommending 15W-40 API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4 engine oils

All Season Hydraulic Excavator Oil 46

5L 7200005283

19L Pail 7200005284

208L Drum 7200005285

- Developed for use in excavators and other hydraulic systems subjected to wide temperature variations
- Conceived for use in excavators and all hydraulic systems working outdoors under severe temperature variations: easy start-up at very low temperatures and steady operation throughout the year



K4 Trans Hydraulic Oil

5L 7200005308

19L Pail 7200005288

208L Drum 7200005289

- Meets the requirements of multiple ZF transmissions, including CVT types and is recommended for Kubota transmissions with wet brakes requiring "UDT" approval or an API GL-4 lubricant
- Also designed for applications such as hydraulic circuits, power steering and power-take-off (PTO) units with wet clutches
- Adapted to a wide range of agricultural equipment including Kubota M7 Series tractors and construction equipment



Premium UDT Hydraulic/Transmission Fluid

1L 7200005290

5L 7200005291

19L Pail 7200005292

208L Drum 7200005293

- High quality Kubota approved tractor UDT fluid
- Specially formulated for transmissions with wet brakes as well as power steering and power-take-off units with wet clutches



SSV-SVL 46 Hydraulic Oil

5L 7200005309

19L Pail 7200005286

208L Drum 7200005287

- Zinc-free, high performance hydraulic fluid specially conceived for Kubota SSV and SVL loaders
- Also suitable for all kinds of hydraulic systems operating under high pressure and high temperatures



Oil Filter Kits

RTV Series 77700-05390

L Series 77700-08713

B Series 77700-08714

BX Series 77700-08715

RTV-XG850 Sidekick 77700-09712

Z Series 77700-09725

NEW

- The filtration efficiency rate is better than that of an after-market competitor over a specified test period
- Bonded and supported by metal caps for durability



GREASE GUNS

Heavy Duty Construction Grade Pistol Grip Grease Gun

77700-09766

- 7,000 PSI
- Aluminum barrel
- Cold weather design with venturi grease inlet
- Grease gun head fitted with bulk loader that doubles as an air release
- 14 oz. capacity
- Includes 18" flexible hose extension & 4-jaw coupler

NEW



NEW

Heavy Duty Construction Grade Lever Action Grease Gun

77700-09767

- 10,000 PSI

- Lightweight aluminum barrel reduces fatigue, ideal for overhead applications
- Grease gun head fitted with bulk loader and air bleeder
 - Extra strong lever handle with built-in variable stroke
 - 14 oz. capacity
- Includes 6" bent steel extension & 4-jaw coupler



19.2V Cordless Grease Gun

Includes 1 Rechargeable Battery—77700-06280

Includes 2 Rechargeable Batteries—77700-06281

- Pressure release valve prevents gun from damage due to excessive back pressure
- Up to 6,000 PSI (413 bar) output grease pressure
- Includes:
 - Durable molded case
 - One “one hour quick charge” battery charger
 - 30" (762 mm) high pressure hose with spring guard on both ends (prevents hose kinking)
 - High pressure grease coupler



| Part No. | Replacement Accessories |
|-------------|---|
| 77700-06346 | 30" Replacement Hose |
| 77700-06347 | Rechargeable Battery , 19.2V , 1.5 Ah, Lithium Ion |
| 77700-06348 | 1 Hour Battery Charger (Lithium Ion), 110V /60 Hz, 19.2V, US Plug |



Pistol Grip Grease Gun


77700-02470

- Heavy duty aluminum die cast head with air bleeder
- Comfortable one-hand operation
- Heavy duty pistol handle with rubber grip
- Develops 6,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 18" flexible hose extension and 4-jaw coupler

Lever Action Grease Gun

77700-02471

- Heavy duty aluminum die cast head with air bleeder
- Built-in variable stroke mechanism
- Heavy duty lever handle with grip
- Develops 10,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 6" steel extension and 4-jaw coupler



Mini Lever Action Grease Gun with 2 Grease Cartridges

77700-03644

2 Pack Refill (Grease Only)—77700-03523

- Aluminum die cast head
- Develops 6,000 PSI—highest in its class
- 2-way loading (3 oz. cartridge or suction)
- Push lock plunger and plastic T-handle locks in place
- Includes 6" steel extension, 4-jaw coupler and two 3 oz. cartridges
- Two 3 oz. refill cartridges feature High-Performance Polyurea Multi-Purpose NLGI #2 grease—excellent resistance to water washout and corrosion



77700-03523

LUBRICATION

Quick Release Coupler Display

77700-10041

- Interactive countertop display for hands-on testing
- Rugged metal construction with informative graphics
- Includes six of the 77700-09000 Quick Lock Couplers for easy point of sale

NEW



Quick Lock Coupler

77700-09000

- Quick Lock Thumb Trigger releases back pressure on couplers
- No leaks once locked on
- Hands-free operation
- Rated up to 8,000 PSI
- Compatible with all grease guns
- Works with both SAE and metric fittings
- Releases from clogged grease fittings, under any pressure load



90° Coupler

77700-09001

- Working pressure 69 BAR / 1,000 PSI
- Designed for greasing fittings with limited reach, especially in low height application
- For hand operated grease guns only



4-Jaw Coupler

77700-03383


- Working pressure of 6,000 PSI
- Hardened coupler body
- Hexagonal nut for easy tightening
- 1/8" NPT



6" Steel Extension

77700-03384

- Straight adaptor
- 1/8" NPT



Heavy Duty Grease Gun Holder

77700-02474

- Rugged holder firmly secures standard size tube-style and most battery-operated grease guns
- Mount as needed with 1/4" carriage bolts (not included)



Grease Gun Holder

77700-03387

- Simple snap action design
- Perfect for safe and convenient storage of grease gun
- Mounts on almost any surface



4 Gallon Oil Drain Pan

77700-02456

- 1" diameter pour spout built into the pan
- Overall height: 5-1/2"



Flexible Grease Gun Hose

18" 77700-02473

12" 77700-02472

- Flexible hose extension for hard-to-reach places
- Minimum radius bend of 1.57"
- Hose ID: .14" / OD: .33"



6 Ounce Pistol Grip Oil Can

77700-03382

- All steel construction from tin-coated sheet
- 6" rigid spout
- Springless suction valve design provides trouble-free performance



Oil Drip Tray

77700-02455

- 22" x 22" x 1-1/2"
- 3 gallon capacity
- Chemically resistant polypropylene



Grease Fitting Tool

77700-03385

- Designed for removing worn or broken threads
- Hex size: 5/16" (7 mm) and 3/8" (9 mm)
- Tap re-threads: 1/4"-28



Grease Injector Needle

77700-03386

- Lubricates in tight spaces
- Equipped with standard grease fitting without check ball
- Includes plastic protective cover



80 Piece Metric Grease Fitting Kit

77700-06283

| Threads | Straight | 90° |
|---------|----------|-----|
| M6 x 1 | 20 | 10 |
| M8 x 1 | 15 | 10 |
| M10 x 1 | 15 | 10 |



80 Piece SAE Grease Fitting Kit

77700-06282

| Threads | Straight | 45° | 90° |
|------------------|----------|-----|-----|
| 1/8" - 27 PTF | 25 | 10 | 10 |
| 1/4" - 28 SAE-LT | 15 | 10 | 10 |



Grease Joint Rejuvenator

77700-02453

- Unclog frozen grease joints
- Works on farming, excavating, construction, industrial equipment, aircraft, automobiles, trailers and more
- Includes 5" flex hose for hard-to-reach areas



FILTER WRENCHES

Oil Filter Wrench

- Features a swivel handle which allows users to get to filters in hard-to-reach areas
- Wide dimpled band securely grips filters without crushing
- Cushion grip vinyl handle



| Part No. | Size | Filter Diameter |
|-------------|---------------|---------------------|
| 77700-03661 | Small | 2-13/16" to 3-5/32" |
| 77700-03662 | Medium | 3-1/2" to 3-7/8" |
| 77700-03663 | Truck/Tractor | 4-3/4" to 5-1/8" |

Small/
Medium

Truck Filter Wrench

77700-03664

- Fits small diameter filters from 4-1/8" to 4-21/32" (105 mm to 118 mm)
- Wide 1-1/2" steel band designed to withstand the high torque requirements of truck, bus, RV and heavy duty equipment filters
- Use with 1/2" square drive



Nylon Strap Oil Filter Wrench

77700-03665

- Adjusts quickly to any spin-on filter up to 6" in diameter
- Strong nylon web belt will not slip
- Use with 1/2" square drive

Full Range Filter Wrench Pliers

77700-03668



- 17" overall length with jaw range of 4-1/4" to 7"
- Full range pliers ideal for removing canister style filters from agriculture and construction equipment and vehicles
- Heavy duty forged construction
- Rubber grip handles provide leverage and extra reach
- Serrated teeth for better grip and grabbing power



Heavy Duty Filter Wrench Pliers

77700-02454

- 23" long reach for overtightened, hard-to-reach filters
- Removes any canister-type oil, hydraulic and fuel filter safely around hot engines and those hard-to-reach areas
- Works on 1-1/2" to 8" diameter filters
- Perfect for all vehicles from light trucks and autos to heavy machinery



SureCans **NEW**

- Rotating nozzle dispenses fuel from the bottom for total ease of use and allows you to reach those awkward fill locations
- Allows user to control the flow speed with their hand - not their back
- Self-venting valve ensures consistent flow
- No tipping or applying pressure to the nozzle in order to use the product
- Six layer HDPE making the SureCan the most durable fuel can available

| Part No. | Description | Fuel Type |
|-------------|--|-----------|
| 77700-10682 | 2.2 Gallon | Gasoline |
| 77700-10683 | 5 Gallon | Gasoline |
| 77700-10684 | 5 Gallon | Diesel |
| 77700-10685 | 5 Gallon | Kerosene |
| 77700-10686 | 5 Gallon Replacement Cap/Tether & Fill Cap | - |
| 77700-10687 | 2.2 Gallon Replacement Cap/Tether & Fill Cap | - |



5 Gallon Type 1 Metal Safety Cans

- Spring-loaded, self-closing lid controls vapors, automatically closes after filling/pouring
- Rugged 24 gauge construction is guaranteed leak-proof
- Complies with OSHA 29 CFR 1910.106 and NFPA Code 30 requirements
- FM, UL, ULC certified
- Accepted container under CARB

| Part No. | Fuel Type |
|-------------|-----------|
| 77700-01541 | Gasoline |
| 77700-01542 | Diesel |
| 77700-03652 | Kerosene |

Plastic Fuel Containers

- Portable fuel containers come equipped with EPA/CARB compliant spouts and ANSI standards
- Easy-flow/spill-proof spout provides safe fuel storage and easy pouring

| Part No. | Capacity | Fuel Type |
|-------------|----------|-----------|
| 77700-03647 | 1 Gallon | Gasoline |
| 77700-03648 | 2 Gallon | Gasoline |
| 77700-03649 | 5 Gallon | Gasoline |
| 77700-03650 | 5 Gallon | Diesel |
| 77700-03651 | 5 Gallon | Kerosene |



NEW



18 oz. Quick Fill Portable Fuel Bottle

77700-10697

- Convenient 18 oz. bottle for quick refill of gas powered lawn tools & equipment
- Spill-proof—no caps to unscrew
- Self-venting / auto shut-off

FUNNELS

Mr. Funnel

- Prevents customer from ruining their engines
- Removes water, dirt and debris from fuel
- Fast flow rate of up to 15 gallons per minute
- For use with portable fuel containers and fuel pumps
- Filters gasoline, diesel, heating oil and kerosene
- No replacement parts



| Part No. | Flow Rate |
|-------------|-----------|
| 72000-02743 | 2.5 GPM |
| 72000-02744 | 3.5 GPM |
| 72000-02745 | 5 GPM |
| 72000-02746 | 15 GPM |

77700-03373

77700-03374

77700-03372



77700-03371

Capped Funnel

- Ideal for agriculture and construction industry
- Fights contamination and promotes a clean workshop environment

| Part No. | Capacity | Top ID | Spout ID | Height |
|-------------|-------------|--------|----------|---------|
| 77700-03371 | 1 Pint | 3" | 1/2" | 9-1/2" |
| 77700-03372 | 1-1/4 Quart | 4" | 5/8" | 10-1/2" |
| 77700-03373 | 1-1/2 Quart | 4" | 5/8" | 17" |
| 77700-03374 | 1-1/2 Quart | 4" | 1-1/8" | 13-1/4" |

Standard Screened Funnel

- Ideal for agriculture and industry
- In-spout safety screen reduces contamination
- Outer ribbing design eliminates air lock

| Part No. | Capacity | Top ID | Spout ID | Height |
|-------------|----------|--------|----------|---------|
| 77700-03375 | 1 Pint | 4-1/2" | 1/2" | 6" |
| 77700-03376 | 2 Quart | 6-1/2" | 1-1/16" | 8-1/2" |
| 77700-03377 | 6 Quart | 8-1/2" | 1-5/16" | 10-1/2" |



77700-03377



77700-03376



77700-03375

3-Quart Drum Funnel

77700-08592

- Overall Height: 9-3/16"
- Top ID: 7-1/2"
- Spout Length: 1-7/16"
- Spout OD: 2-1/4"
- 2" Thread
- Max Temp: 250° F



NEW

18" Long Reach 1 Quart Funnel

77700-03378

- 18" spout ideal for hard-to-reach or confined areas
- Spout ID: 7/16"
- Top ID: 4-3/4"



1 Pint Funnel with 21" Flex Hose

77700-03379

- Spout ID: 1/2"
- Top ID: 5"
- Fights contamination and promotes a clean workshop
- Unique design prevents leftover fluid from dripping out



Universal Pour Spout Funnel

77700-01543

- For use with Type 1 safety cans and FM certified
- Attaches quickly for safe, leak-free pouring
- The innovative hinged design allows you to fill or pour from the can without removing the funnel and takes up less space during storage



OD: 1/2"

Pour Spouts

- Flexible spout ideal for hard-to-reach areas
- Includes cap to eliminate unwanted drips
- Chemically-resistant clear tube keeps contents visible

NEW



Multi-Purpose On/Off Pour Spout

77700-03645

- On/off adjustable flow spout
- Fits quart or gallon containers
- Reduced tip for transmission filler tubes
- Flexible, clear tube keeps contents visible
- Fits in tight places

NEW



| Part No. | Container/Pail Size |
|-------------|----------------------------|
| 77700-03380 | Quart, 1 Gallon & 5 Gallon |
| 77700-03381 | 2-1/2 Gallon |



PUMPS & DRUM LEVEL INDICATOR

Battery Operated Fluid Transfer Pump

77700-10673

- Provides quick transfer of fuel, diesel, DEF/Adblue, water & water based media
- Self-priming pump with 3V DC motor
- Convenient to operate trigger for full control on fluid outflow and no spillage even when the electric switch is on
- Flow rate: up to 2.3 GPM (9 LPM)
- Requires (2) D batteries—not included

NEW



Battery Operated Siphon Pump

77700-09771

- Multi-purpose siphon can pump up to 1.8 GPM (7 LPM)
- Powered by 2 "D" size batteries (not included)
- For use with light oils, diesel, kerosene, water & other water based media, etc.


NEW



Polypropylene Lever Style Hand Pump

7200000294

- Fits 205 litre drum
- Piston Action Polypropylene Pump, Viton and polypro seals
- Corrosion resistant
- Suitable for water based fluids such as windshield washer fluid and diesel exhaust fluid
- Also good for many acid and alkali solutions (always check fluid compatibility)



Plastic Lever Pump with 2" Bung Adapter

77700-09768

- Lever action barrel pump, designed for use with high viscosity oils, agricultural chemicals and more
- Pump design makes it extremely convenient & comfortable to pump thick oils without excessive fatigue
- Durable and versatile material construction makes this pump ideal for use with water based media, as well as select chemicals
- Built-In 2" bung adapter allows the pump to be fixed on drums with 2" opening
- Includes suction tube for use with 15-55 gallon drums & 6-1/2' x 3/4" flexible corrugated discharge hose
- Delivers up to 1 pint per stroke

NEW



19.2V Battery Operated Drum Pump

77700-09770

- AC/DC rechargeable drum pump for use with 55 gal drums or IBC's
- 19.2V Li-ion battery and 1 hour quick charger
- Delivers up to 7.4 GPM
- For use with diesel, kerosene, DEF, Adblue™, antifreeze, detergents, soap solutions, pesticides, herbicides and water-based media

NEW



Drum Level Indicator

77700-09769

- Fits 3/4" holes on drums
- Convenient method to check remaining fluid level in a 55 gallon drum
- Indicator can be adjusted to show readings in gallons or liters
- For use with oil, fuel, water and water based fluids, coolants, etc.

NEW



DEF Tote Mounting Kits (Closed system, tote not included)

NEW

- **Basic with Micro Matic Coupler: 77700-06165**

Includes Electric 110V AC DEF Pump, Stainless Steel Tote Mounting Plate, Micro Matic RSV Dispense Coupler (744-048), Micro Matic RSV Container Valve

(743-097) with Tote Adapter Cap and Down Tube, Inlet Hose (EPDM) 6' Long x 3/4" ID, Nylon Manual DEF Nozzle, Discharge Hose (EPDM) 20' Long x 3/4" ID, and Connecting Hardware

- **Advanced: 77700-06166**

Includes everything in the Basic with Micromatic Valve kit (with exception of Nylon Manual DEF Nozzle) in addition to the SS Auto Shut-Off DEF Nozzle with Swivel

- **Premium: 77700-06167**

Includes everything in the Advanced kit, in addition to the DEF Digital Turbine Meter



NEW

DEF Drum Mounting Kits (Closed System, drum not included)

- **Basic with Micro Matic Coupler: 77700-06169**

Includes Electric 110V AC DEF Pump, Stainless Steel Drum Mounting Plate, Micro Matic RSV Dispense Coupler (744-048), Micro Matic RSV Container Valve (743-097) with Down Tube, Inlet Hose (EPDM) 4' Long x 3/4" ID, Nylon Manual DEF Nozzle, Discharge Hose (EPDM) 20' Long x 3/4" ID, and Connecting Hardware

- **Advanced: 77700-06170**

Includes everything in the Basic with Micromatic Valve kit (with exception of Nylon Manual DEF Nozzle) in addition to the SS Auto Shut-Off DEF Nozzle with Swivel

- **Premium: 77700-06171**

Includes everything in the Advanced kit, in addition to the DEF Digital Turbine Meter



Micro Matic RSV Dispense Coupler 744-048

77700-06178

- Features VITON seals and 3/4" hose barb outlet that attaches to the suction side of the pump hose
- Used to connect to the container valve for clean, safe closed-system dispensing
- Self-venting coupler allows air into the container to produce a smooth flow
- 90° angle with 3/4" fittings
- Dependable VITON seals for leak-resistant performance

NEW



Micro Matic RSV Container Valve 743-097

77700-09082

- 2.5" x 5 Buttress Thread with EPDM seals
- Connects the RSV Micro Matic Dispense Coupler (77700-06178) to Tote or Drum for a closed system (Tote connection requires IBC Center Cap 749-326)

- AISI 304 Stainless Steel Construction



NEW

DEF Kit Accessories

NEW

| Part No. | Description |
|-------------|---|
| 77700-09083 | Down Tube for Drum, 810 mm |
| 77700-09084 | Down Tube for Drum, 1,065 mm |
| 77700-09085 | 6" ICB (Tote) Center Cap 749-326 |
| 77700-06172 | Stainless Steel Tote Mounting Plate |
| 77700-06173 | Stainless Steel Drum Mounting Plate |
| 77700-06174 | Electric 110V AC DEF Pump |
| 77700-06175 | DEF Digital Turbine Meter |
| 77700-06176 | Nylon Manual DEF Nozzle |
| 77700-06177 | SS Auto Shut-Off DEF Nozzle with Swivel |
| 77700-06179 | Inlet/Suction Hose (EPDM) 4' Long x 3/4" ID |
| 77700-06180 | Suction Hose (EPDM) 5' Long x 3/4" ID |
| 77700-06181 | Inlet Hose (EPDM) 6' Long x 3/4" ID |
| 77700-06182 | Discharge Hose (EPDM) 20' Long x 3/4" ID |
| 77700-06183 | Connecting Hardware |

CAMSO TRACKS

At Camso, we take pride in our understanding of equipment and applications. We're out on job sites everywhere, listening to users and learning how our rubber tracks can help their equipment perform better and last longer so that they can be more productive.



Tracks for Compact Track Loaders



CAMSO CTL HXD

THE BEST TRACK FOR DURABILITY AND PERFORMANCE

- Single-cure technology with next generation rubber compound
- Trackguard iron core with heavy-duty carcass



CAMSO CTL SD

ALL-SEASON TRACTION AND DURABILITY

- Single-cure technology with advanced rubber compound
- Trackguard iron core improves rolling path life by 100%
- High-tensile steel cables prevent corrosion

The result: a variety of tread patterns ready to work with your equipment and enhance your productivity.

Kubota offers Camso track products as a second line option to OEM tracks. See your local Kubota dealer for all of your equipment track needs.



Tracks for Mini-Excavators



CAMSO MX HXD

EXTREME RESISTANCE TO SEVERE CONDITIONS

- Patented 3S internal iron core
- High-tensile, rubber sealed steel cables protected by heavy-duty carcass and tread



CAMSO MX SD

PREDICTABLE SERVICE LIFE AND PERFORMANCE

- Patented 3S internal iron core
- High-tensile, rubber sealed steel cables prevent corrosion
- Unique 3S external iron core eliminates detracking

Over-the-Tire Tracks for Compact Skid Steer Loaders



CAMSO OTT HXD

QUICK MOUNT ATTACHMENT FOR TRACKED PERFORMANCE

- Full rubber track
- Embedded iron core with engineered wing design

Camso Sales Intelligence (Si)

Si.camso.co or on the App Store

Camso Sales Intelligence (Si) is a tool that facilitates the explanation of the features and benefits of our Material Handling, Construction and Agricultural products.

- Accessible off-line with the iOS app version
- Complete product information, including features and benefits and product sheets
- 360° views of products and action videos
- Product support information





Item # *CELLUTRAK

**SEE YOUR LOCAL KUBOTA DEALER
FOR MORE DETAILS!**

**TELEMATICS & REAL-TIME
TRACKING SOLUTION**

TRACK ANYWHERE!



**HISTORICAL DETAILED
REPORTING**



THEFT



**V.I.P.
SERVICE**



MAINTENANCE



**REMOTE
DIAGNOSTICS**



10 REASONS

FOR INSTALLING A
**CELLUTRAK GPS
TRACKING DEVICE**

On average, 160,000 vehicles are
stolen every year in Canada

Theft prevention

Live locating on demand

North America wide coverage

Prevent unauthorized usage with
remote engine disable

Birds eye view of all machines
displayed in real time

Active odometer/engine hour readings

Access to daily, weekly and
monthly reports

Create geo zones

Free smartphone application



TRICO® WIPER BLADES



TRICO®

- Steel frame provides exceptional strength and durability
- Precision-cut rubber edge creates superior wiping action
- Rugged construction

| Part No. | Length |
|------------|--------|
| 7200002818 | 13" |
| 7200002819 | 16" |
| 7200002820 | 18" |
| 7200002821 | 20" |
| 7200002840 | 22" |



TRICO Tech®

- Memory Curve Steel™ beam provides uniform pressure for a clean, clear wipe
- Superior all-weather performance
- Rugged construction

| Part No. | Length |
|------------|--------|
| 7200002822 | 13" |
| 7200002823 | 16" |
| 7200002824 | 18" |
| 7200002825 | 20" |
| 7200002841 | 22" |



TRICO ICE®

- Teflon®-infused synthetic blended element
- Extreme winter blade technology
- Rugged construction

| Part No. | Length |
|------------|--------|
| 7200002826 | 13" |
| 7200002827 | 16" |
| 7200002828 | 18" |
| 7200002829 | 20" |
| 7200002842 | 22" |



Flood Beam with Centre Spot Beam

7200002729

- Lamp dimension : 6-5/16" W x 1-13/16" H x 2-3/8" D stud size : 5/16"
- LED diode rated life : 30,000 hours
- High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens
- Adjustable e-coated steel mounting bracket



2 Pack - Flood Beam with Centre Spot Beam with Female Deutsch Connectors

7200002733

- Lamp dimension : 6-5/16" W x 1-13/16" H x 2-3/8" D, stud size : 5/16"
- LED diode rated life : 30,000 hours
- High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens
- Adjustable e-coated steel mounting bracket
- IP69K RoHS Dual Lamp Kit with Plug & Go Harness
- 18 ft harness with 2 mating Male Deutsch receptacles, battery connections, fuse & in dash, on/off switch

LED Flood Lamp

7200002813

- Lamp Dimension : 4-1/4" W x 4-7/8" H x 1-5/8" D stud size : 10 mm
- LED diode rated life : 30,000 hours
- Hooded High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens
- Adjustable e-coated steel mounting bracket



LED Flood Lamp

7200002812

- 3120 Lumens
- 500 ft optimal penetration
- 16 OSRAM LEDs
- Lamp dimensions 4-1/4" W X 5" H X 1-13/16" D
- LED diode rated life : 30,000 hours
- High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens

LED Work Lamp

7200002730

- Lamp dimension : 4-3/8" W x 4-7/8" H x 1-7/8" D, stud size : 5/16"
- LED diode rated life : 30,000 hours
- High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens
- Adjustable stainless steel mounting bracket



Square LED Flood Lamp

7200005394

- 4" x 4"
- Adjustable stainless steel mounting bracket
- 1,755 Lumens
- Opt. penetration: 400 ft.



Universal Pole Mount Kit

7200005399

- Fits on 5" Amber Beacon Light (7200005398)



5" Amber Beacon Light

7200005398

- Quad flash
- High voltage compatible up to 110V DC with efficient LEDs




Magnetic Mount Kit

7200005400

- Magnetic mount kit with cigarette 12V plug

LED Light Bars "Ultra" Series with Premium "OSRAM" LED

- Combo flood & spot beam to optimize light penetration & spread
- Durable polycarbonate lenses to resist stone chips
- UV resistant coating on the reflective cups to prevent cracking
- Weatherproof sealed connections
- Polyester coating to reduce fading & discolouration
- Each lamp comes with sealed connector. 18 ft Plug & Go Harness with in dash on/off Switch, Relay & Fuse included



| Part No. | Length | Lumens | LEDs | Peak Beam Intensity # | Optimal Penetration ** | Amp Draw | Mounts Included | Pkg |
|------------|--------|--------|------|-----------------------|------------------------|------------|-----------------|-----|
| 7200002734 | 8" | 3,240 | 12 | 105,000 cd | 2,130 ft | 2 @ 12V | Side Only | Box |
| 7200002735 | 14" | 6,480 | 24 | 157,500 cd | 2,600 ft | 4 @ 12V | Side & Bottom | Box |
| 7200002736 | 22" | 10,800 | 40 | 270,000 cd | 3,400 ft | 7 @ 12V | Side & Bottom | Box |
| 7200002737 | 32" | 16,200 | 60 | 447,500 cd | 4,380 ft | 10 @ 12V | Side & Bottom | Box |
| 7200002738 | 42" | 21,600 | 80 | 525,000 cd | 4,750 ft | 14.5 @ 12V | Side & Bottom | Box |
| 7200002739 | 50" | 25,920 | 96 | 560,000 cd | 4,910 ft | 18 @ 12V | Side & Bottom | Box |

AM/FM/WB/Bluetooth®/SiriusXM Ready® Weatherproof MINI Radio

77700-08973

- 12V DC Power
- Bluetooth with hands free calling
- iPhone/iPod control and charging via USB
- Rear USB
- Line level RCA outputs
- Front panel audio AUX-in for use with iPods, MP3 players & portable CD players
- AUX A/V in (front and rear)
- 7-Channel NOAA Weatherband tuner
- Weather Alert automatically switches to WB mode when NOAA warning broadcast is received
- Corrosion and UV-resistant faceplate
- Built-in job site work timer
- 12/24 hour clock
- Daylight readable display with wide viewing angle



- 3.5 mm headphone jack pigtail & 2-channel stereo speaker output
- 2-channel amplified audio output (15 watts)
- Microphone sold separately
- Dimensions: 5-3/16"W x 3-3/8"H x 1-7/8"D
- Applications: Kubota SSV65 and SSV75 Skid Steers and many other all makes and models of equipment



Heavy Duty MINI Waterproof AM/FM/WB/Bluetooth® Radio


77700-04757

- Same features as 77700-04752 including:
 - Works with Bluetooth wireless headphones, as well as most other Bluetooth streaming audio (A2DP) headphones
 - Front and rear AUX-inputs for a more permanent installation
- Applications: Kubota SSV65 and SSV75 Skid Steers and many other all makes and models of equipment

Heavy Duty MINI Waterproof AM/FM/WB/MP3 Radio

77700-04752

- 12V DC system—no batteries to recharge or replace
- Seven-channel NOAA weatherband tuner
- Built-in job site work timer
- Applications: Kubota SSV65 and SSV75 Skid Steers and many other all makes and models of equipment



Heavy Duty AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM Ready®/App Ready Radio

77700-04755

- 180 watt max output (45W x 4)
- iPod/iPhone controls and charging via front USB
- SiriusXM Ready (requires SiriusXM tuner and antenna)

- Seven-channel NOAA weatherband tuner and "Weather Alert"
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**
- Microphone sold separately

* Kubota M7040HDNBC, M8540HDNBC, M8540HDNBPC and all L40 series require bracket item no. 77700-05298

Heavy Duty AM/FM/USB/AUX/WB/ Bluetooth®/iPhone®/iPod®/ SiriusXM Ready® Radio

77700-06377

- Same features as 77700-04755 with the exception of a CD player and App Ready
- Includes Bluetooth Microphone (77700-04786)
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**



Heavy Duty AM/FM/WB/ USB/iPhone®/iPod®/ SiriusXM Ready® Radio

77700-04754

- Same features as 77700-04755 with the exception of a CD player and Bluetooth
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**

Heavy Duty AM/FM/WB Radio

77700-04753

- 160 watt max output (40W x 4)
- Seven-channel NOAA weatherband tuner
- Segmented, high-visibility LCD display with clock
- Two-wire hook-up prevents battery drain when vehicle is off
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**



Heavy Duty Short DIN Radio

77700-08588

- Waterproof face (IPX5)
- 12V DC power
- Electronic AM/FM tuner, RCA AUX input pigtail
- Includes NOAA 7-channel weather band, amber backlit control panel buttons
- 3" mounting depth
- Low battery alert

SSV Observation Camera Kit

77700-08974

- Kit includes:
 - Monitor (77700-08976)
 - Fixed angle waterproof camera 77700-09106
 - Camera mounting bracket
 - Power harness for Kubota SSV
 - Y adapter for Kubota SVL
 - Ball mount 2 X 1.7
 - 4" double mount
 - Various hardware and cable



SVL Kit

CAB 77700-04787

ROPS 77700-06119

- Kit includes:
 - MINI Radio (77700-04752)
 - Waterproof Speakers (77700-04759)
 - 14" Rubber Mast Antenna (77700-04761)
 - Mounting brackets
 - Adapter harness



SVL Kit with Bluetooth®

CAB 77700-04797

ROPS 77700-06120

- Kit includes:
 - **Bluetooth** MINI Radio (77700-04757)
 - Waterproof Speakers (77700-04759)
 - 14" Rubber Mast Antenna (77700-04761)
 - Mounting brackets
 - Adapter harness



Voyager Rear Observation Kit for Cab SVL Machines

77700-06141

SVL95-2 Machines 77700-07933

- Kit includes:
 - 5.6" heavy duty monitor 77700-06201
 - Waterproof CMOS Color Camera 77700-06202 (available separately)
 - Camera bracket
 - Monitor bracket
 - Power harness
 - Y connector
 - Hardware
 - **Optional 15' Extension Cable available, sold separately (77700-06271)**



Two Channel Bluetooth® ROPS Kit

77700-07939

- Kit includes:
 - Two fully enclosed high power waterproof 6.5" ROPS speakers
 - 50 watts RMS, 100 watts max power
 - Fits round bars 1-5/8 to 3"
 - Fits square bars 3 x 1.5" to 3 x 2"
 - Two channel waterproof Bluetooth amplifier
 - 2 x 40 watts max power
 - Square brackets included in kit, round brackets are optional



EXCAVATOR KITS

All Makes Observation Kit with 4.3" Monitor

77700-08975

- Built for severe duty environments
- CMOS Color 125° with Built-In Microphone 77700-09107
- Excellent night vision
- Three camera capability
- Bright 4.3" LCD display with anti-glare/scratch protective lens 77700-08976
- Image orientation: mirror (reversed)
- 15 ft. cable and 4 inch monitor mount included



Radio Kit for Excavators

77700-06210

• Kit includes:

- MINI radio (77700-04752)
- Weather resistant 4" speakers (77700-06375)
- Two 4" grilles (77700-06376)
- 6" rubber mast antenna (77700-04762)
- Plug N' Play radio adapter harness and speaker terminal adaptors
- Mounting brackets
- Applications include: KX71-3, KX71-3ST3, KX71-3S4, KX91-3S, KX91-3S2, U35S, U35S2, KX121-3S, KX121-3ST3, U45S, U45ST3, KX161-3ST3 (cab models only)

Radio Kits for Excavators

77700-04753A & 77700-04753B

77700-04754A & 77700-04754B

77700-04755A & 77700-04755B

77700-06377A & 77700-06377B

- Radio kits include DIN radio indicated by model number
- "A" kit includes:
 - Bullet connector KUB2 (77700-04789)
 - Applications include: U35-4, KX040-4, KX057-4, U55-4 (cab and non-cab models)
- "B" kit includes:
 - ISO male to ISO female double 8-pin connector, KUB3 (77700-05318)
 - Applications include: U27-4 (cab model)

NEW

77700-04753A & 77700-04753B



77700-04754A & 77700-04754B



77700-06377A & 77700-06377B



77700-04755A & 77700-04755B



4.3" Observation Monitor

77700-08976

- Three camera capability
- IPX6 rating
- Bright 4.3" LCD display with anti-glare/scratch protective lens
- Display graphic overlay shows real-time distance from objects
- Built-in speaker
- Manual or automatic source selection



Bluetooth® Microphone—Panel Mount

77700-08969

- Flush mount housing
- 39" cable length
- Locking connector
- Includes mounting bracket and blank plate
- Works with all Jensen Heavy Duty Bluetooth®-enabled radios



77700-04759

77700-06376



77700-04760



77700-06375

Speakers

| Part No. | Description | Power | Sold |
|-------------|--|-----------|--------------|
| 77700-04759 | 3.5" Heavy Duty Waterproof Surface Mount | 120W Max. | Pair |
| 77700-04760 | 4" Heavy Duty Waterproof | 120W Max. | Individually |
| 77700-06375 | 4" Weather Resistant Black metal grilles sold separately (77700-06376) | 30W Max. | Individually |



77700-04789

Bullet Connectors

- For use with 77700-04755, 77700-04754, 77700-06377 and 77700-04753 stereos

| Part No. | Description |
|-------------|--|
| 77700-04788 | 9-pin connector to Din radio KUB1 |
| 77700-04789 | Bullet connector to Din radio KUB2 |
| 77700-05318 | ISO male to ISO female double 8-pin connector KUB3 |



Radio Harnesses


- Your Kubota dealer offers a wide variety of harnesses that can be used to install these radios into many makes and models of equipment

| Part No. | Description |
|-------------|------------------------------|
| 77700-05368 | All Makes Case Crawlers |
| 77700-05318 | All Makes CNH Current Models |
| 77700-05319 | All Makes CNH Old Models |
| 77700-05369 | All Makes Universal |

14" Top or Side Mount Rubber Mast Antenna

77700-04761

- Attached 59" cable
- Rubber gasket for watertight mounting
- Mounting base adjusts 90° for either top or side mounting



6" Top or Side Mount Rubber Mast Antenna

77700-04762

- Attached 39" cable
- 6" rubber mast prevents breakage



RADIO ACCESSORIES & DISPLAYS

SiriusXM Satellite Tuner 77700-05478

- For use with SiriusXM Ready Stereos
- Compact size hides discreetly behind the dash for a fully integrated look
- Includes one magnetic antenna
- Subscription required



Omnidirectional Bluetooth® Microphone 77700-04786

- 12' cable with locking connector
- Visor clip and 3M adhesive pad included



Heavy Duty Stereos & Accessories Display 77700-04785

- Display includes:
- Heavy Duty Waterproof Bluetooth® Stereo with less than 3" chassis depth 77700-08588
- MINI Heavy Duty Radio with Bluetooth®/ SiriusXM Ready/WB/ iPhone-iPod Control and charging via USB 77700-08973
- 4" Waterproof Speakers 77700-04760



Heavy Duty SVL Rear Observation Display 77700-06159

- Display includes:
- Durable 4.3" Waterproof Monitor 77700-08976
- 5.6" Monitor 77700-06201
- Fixed Angle Waterproof Camera 77700-09106
- Waterproof Camera with Microphone 77700-06202



Radio & Observation Floor Display 77700-10737

NEW

- Attention grabbing and informative display with large, bold graphics
- Compact, four-sided display covers only 2.5 sq. ft. of floor space
- Made of solid wood construction with permanently mounted graphic panels for lasting durability
- Overall size: 24" wide x 15" deep x 60" tall
- Includes working models of radios, observation/cameras and speakers:
- Heavy Duty AM/FM/WB Radio 77700-04753
- Heavy Duty MINI Waterproof AM/FM/WB/Bluetooth® Radio 77700-04757
- AM/FM/WB/Bluetooth®/Sirius XM Ready® Weatherproof Mini Radio 77700-08973
- Heavy Duty MINI Waterproof AM/FM/WB/ MP3 Radio 77700-04752
- 5.6" Heavy Duty Monitor 77700-06201
- Camera VCMS20B
- Fixed Angle Waterproof Camera 77700-09106
- Speakers 77700-09066



Why Test Hay & Grain Moisture?

According to agricultural nutrition experts, the single most important factor influencing the quality of grain, hay and silage is moisture. Moisture management is a continuous process that requires the appropriate measuring tools. Protect your investment by testing moisture content before, during and after the season accurately and quickly using **Kubota Moisture Testers**.

HST-1 Advanced Hay, Straw, and Silage Moisture Tester

77700-10675

- Automatically compensates for the bale density giving more accurate testing results
- Scales for hay/haylage, straw, hay silage, corn silage and alfalfa
- Heavy duty 20" (50.0 cm) stainless steel probe
- Automatic density compensation for more accurate results
- "Industry First" hay tester with temperature compensation
- USB port for scale and software updates, including exporting tests to your computer
- Hay and Haylage: 8% - 80%
- Straw: 8% - 25%
- Hay Silage: 30% - 84%
- Corn Silage: 40% - 76%
- Alfalfa: 8% - 75%

NEW

**MOST
ACCURATE
HAY PROBE
AVAILABLE**



NEW

Hay Core Sampler

77700-10676

- Professional hay core sampling equipment for farmers, sellers, and producers
- Zip-lock bag attaches to the protective metal shield allowing collection of up to 20 samples with no mess or contamination
- The inside diameter of the shaft is 7/8" allowing samples to stay loose for easy bagging with the cleanout rod between samplings
- Includes cleanout rod for pushing hay into provided zip-lock sample bag
- Shaft and connections are made of stainless steel
- Sampling depth is 20"
- Sampler can be used with either a 3/8" or 1/2" drill



Windrow Hay Moisture Tester

77700-10677

- Only portable hay moisture tester available for use in the field before baling
- Quickly measures loose hay and forage from a windrow without committing the time and expense of using baling or chopping equipment before the hay is at the correct moisture levels
- Simple to use - add loose hay to a five-gallon bucket, insert tester probe and press a button
- Moisture range: 13% - 70% depending on hay tested
- Testing time: 30 - 60 seconds
- Accuracy: +/- 2% - 4%
- Display resolution: 0.1% moisture
- 9V battery required

NEW



MOISTURE TESTERS

Ag-MAC™ Plus Grain Moisture Tester with Test Weight

77700-10679

- Direct readout for 20 different grain scales
- Displays grain test weight (no pre-weighing)
- Measures moisture fast, easily, and accurately
- Non-compaction design with LCD display
- USB compatibility for updates of grain scales and firmware
- Automatic temperature compensation
- Hot corn up to 160° F (71° C)

NEW



NEW

Soil Compaction Tester

77700-10678

- Increases crop yield by measuring the extent and depth of soil compaction
- 24" stainless steel rod with adjustable shock collar to prevent damage
- Easy-to-read, color-coded, stainless steel dial that is liquid filled to reduce shock
- Durable molded housing with rubber grips
- Large and small tip included with convenient storage in tester housing
- Easy to store on wall or above workbench



MT-PRO Grain Moisture Tester

77700-06330

- Direct readout for 40 different grain scales
- Tests high moisture grain up to 40 percent
- Single-point or precision multi-point calibration to match local elevator
- Built-in average button displays the average of saved test results
- Higher-frequency, capacitive circuit for greater accuracy
- Includes protective carrying case with shoulder strap



DHT-1 Hay Moisture Tester with 18" Probe

77700-06328

- Direct readout for moisture % and temperature (°F and °C)
- Extra-rugged probe shaft made from aircraft aluminum
- Accurate throughout the normal range of stored, baled hay
- Moisture range: 14% - 44% depending on hay tested
- 9V battery required



HT-PRO Hay Moisture Tester with 20" Probe

77700-06327

- Includes calibration clip—less than 20 seconds to calibrate
- Above and below moisture limit indication
- Illuminated LCD display
- Moisture range: 8% - 44% depending on hay tested
- 9V battery required
- The first and only portable hay moisture tester with a calibration clip



TamaTwine+

- LSB - Unique development combines the strength of “traditional” 450 twine, with a dramatic increase in length
- XD - For ultimate performance



LARGE SQUARE BALES

| Part No. | Twine type | Single-spool pack length | Knot strength |
|------------|------------|--------------------------|---------------|
| 7200002664 | Tama LSB | 4,400 feet | 450 lbs. |
| 7200002691 | Tama XD | 3,900 feet | 570 lbs. |

Brazilian Gold

Premium sisal twines by COSIBRA, Brazil's most experienced twine manufacturer

- Brazil's extra-long and strong fibers ensure uniform knotless twines for both square and round bales
- Extra-long fibers for consistent trouble-free baling, uniformity, and true length
- High tensile and knot strength
- Specially treated to resist rodents and insects and biodegradable



SMALL SQUARE BALES

| Part No. | Twine type | 2-spool pack length | Knot strength |
|------------|------------|---------------------|---------------|
| 7200002668 | 9,000 | 9,000 feet | 350 lbs. |

ROUND BALES

| Part No. | Twine type | 2-spool pack length | Knot strength |
|------------|------------|---------------------|---------------|
| 7200002669 | 16,000 | 16,000 feet | 170 lbs. |

Stretch Wrap for Square or Round Bales

- Manufactured using only quality virgin polymers, including modern 5- and 6- layer modern extruded process. Fully treated with U.V. inhibitors to prolong the life of wrapped bales



SunFilm

| Part No. | Description |
|------------|--|
| 7770006433 | SunFilm 20" x 6,000' White - Thickness 1.0 mil |
| 7770006434 | SunFilm 30" x 5,000' White - Thickness 1.0 mil |
| 7770006439 | SunFilm 30" x 5,000' Green - Thickness 1.0 mil |
| 7200002671 | SunFilm Gold II 30" x 5,000' White - Thickness 6 Layer |
| 7200002672 | Hay Caps 93" x 72" |
| 7200002673 | Hay Caps 110" x 72" - 4 mil |

Sigma

| Part No. | Description |
|------------|--|
| 7200002692 | Stretch Film 20" x 6,000' - Thickness 1.0 mil |
| 7200002674 | Stretch Film 30" x 5,000' - Thickness 1.0 mil |
| 7200002675 | Stretch Film 30" x 4,000' - Thickness 1.2 mil |
| 7200002676 | Stretch Film 30" x 3,000' - Thickness 1.5 mil |
| 7200002678 | 5-Layer Stretch Film 30" x 5,000' - Thickness 1.0 mil |
| 7200002681 | Performance 5 Stretch Film 30" x 5,000' Green- Thickness 1.0 mil |

Kubota Netwrap

The Next Generation in Bale Wrap Technology

- **Reliable and consistent.** For a trouble-free baling experience — every time.
- **Edge to Edge™ technology.** For perfect bale coverage.
- **Zebra System™.** A clear Left-Right indicator for easy and correct loading of the roll into the baler every time. Plus, at feeding time, user can quickly see which direction to unroll the bale.
- **Red End Warning.** Indicates to the operator that the end of the roll is approaching. The red stripe marks the last 240 ft.



| Part No. | Product Range |
|-------------|---------------|
| 77700-06454 | 48" x 9,840' |
| 77700-06385 | 48" x 12,500' |
| 77700-06455 | 51" x 9,840' |
| 77700-07961 | 51" x 11,500' |
| 77700-07859 | 64" x 7,000' |
| 77700-07860 | 67" x 7,000' |

- **Guaranteed Length.** Every roll contains at least the guaranteed stated length, not a "plus or minus" average.
- **Carry Handles.** Easier and safer handling.
- **Edge Guards.** Protect roll from damage.
- **Unique ID Number.** Enables tracing of full production details.
- **TamaTec+.** Kubota roll feature TamaTec+, a unique combination of advanced raw materials and manufacturing techniques.

BaleBind™

A premium grade fibrillated split-film twine

- Manufactured with 100% virgin polymer resins
- UV light inhibitors to withstand intense exposure



| SMALL SQUARE BALES | | | |
|---------------------|--------------------------|--------------------------|---------------|
| Part No. | Twine type | 2-spool pack length | Knot strength |
| 7770006416 | Balebind 7,200 | 7,200 feet | 170 lbs. |
| 7200002659 | Balebind 9,000 | 9,000 feet | 140 lbs. |
| 7200002660 | Balebind 9,000 | 9,000 feet | 180 lbs. |
| 7770006414 | Balebind 9,600 (Orange) | 9,600 feet | 210 lbs. |
| 7770006415 | Balebind 9,600 (Blue) | 9,600 feet | 210 lbs. |
| 7770006416 | Balebind 12,000 | 12,000 feet | 190 lbs. |
| LARGE SQUARE BALES | | | |
| Part No. | Twine type | Single-spool pack length | Knot strength |
| 7770006432 | Balebind 4,000 | 4,000 feet | 450 lbs. |
| 7200002663 | Balebind 4,000 | 4,000 feet | 550 lbs. |
| 7200002662 | Balebind 4,000 | 4,000 feet | 650 lbs. |
| ROUND BALES | | | |
| Part No. | Twine type | 2-spool pack length | Knot strength |
| 7200002666 | Balebind 40,000 | 40,000 feet | 110 lbs. |
| 7200002667 | Balebind 28,000 (Blue) | 28,000 feet | 110 lbs. |
| 7200002693 | Balebind 28,000 (Orange) | 28,000 feet | 110 lbs. |
| ROUND BALES - SOLAR | | | |
| Part No. | Twine type | Single-spool pack length | Knot strength |
| 7200002670 | Clearfield™ | 20,000 feet | 110 lbs. |

Why Promote Battery Maintenance?

"The Average battery life has become shorter as energy requirements have increased. Life span depends on usage; 6 months to 48 months, yet only 30% of all batteries actually reach the 48-month mark"! To keep your lead acid battery in top condition for many years, use an OptiMATE battery charger!

Why OptiMATE Battery Chargers?

1. **TESTS** battery condition at connection, decides optimal charge method, then charges.
2. **EQUALIZES BATTERY CELLS** with a unique pulsing method, brings each cell to full charge for guaranteed 100% battery performance!
3. **SAVES "DEAD" BATTERIES** other chargers can't from as low as 1/2 a Volt. Proven controlled desulphation program for off vehicle battery saving and safe low volt recovery program for on vehicle battery reconditioning
4. OptiMATE Chargers use a **UNIQUE MAINTENANCE PROGRAM** 24/7 for safe maintenance. Checks charge level hourly, delivers exact charge to keep battery at 100% and support 'always on' vehicle circuitry. Soft pulse prevents sulphation build-up.

BATTERY CHARGERS FOR 12V BATTERIES

including STD 'wet cell' with filler caps, 'dry charged' AGM, factory activated AGM and GEL lead-acid

OptiMATE 1 — 12V 0.6A

7200002721

OptiMATE 1 delivers precise micro processor controlled charging & long term maintenance. Maintain any 12 volt lead-acid battery, sealed AGM (MF) or GEL. Ideal for vehicles that are seldom or seasonally used, or in storage. The OptiMATE maintenance program delivers only what the battery needs, never overcharges, never undercharges.



OptiMATE 2 Global, 4-step 12V 0.8A Battery Charger-Maintainer

7200002843

OptiMATE 2 is fully sealed. It senses the battery condition, recharges and then keeps the battery 100% ready. The OptiMATE maintenance program delivers only what the battery needs, never overcharges, never undercharges.



OptiMATE 3 — 12V 0.8A

7200002722

The OptiMATE 3 is the most trusted charger in the business, saving, charging and maintaining batteries since 1995. The latest

version includes a 7-step program that recovers sulphated batteries and then tests after charging. The '365' maintenance program delivers only what the battery needs, never overcharges, never undercharges.



OptiMATE 5 Start/Stop, 6-step 12V 4A Battery Saving Charger- Tester-Maintainer

7200002924

OptiMATE 5 the perfect all-rounder with 4 Amps of charging power, saves low volt batteries from as low as 2V and will then charge and maintain the battery, all automatically. Perfect for months-long maintenance of any size 12V lead-acid battery from 15 up to 192Ah – deep cycle, automotive (also EFB batteries – start/stop systems), marine, cruiser motorcycle, UTV/side-by-side.



OptiMATE 6 — 12V 5A

7200002723

The world's most advanced fully automatic 12V battery charger!

OptiMATE 6 saves batteries other chargers can't, because it recognizes the difference between a discharged battery that needs charging and a dead flat sulphated battery that needs saving. Perfect for months-long maintenance of any size 12V lead-acid battery – deep cycle, automotive, marine, construction, agriculture.



10W OptiMATE Solar Charger

7200002925

OptiMATE Solar Charge & Monitor system, the smart 24-7 battery care solution powered by the sun.

The CHARGE-MONITOR controller included with the panel will CHARGE (day) – 6 STEP charging program includes save from 1V and OptiMATE maintenance. MONITOR (night) – 3 light monitor indicates battery charge status. Information used to continue charging the next day.



Permanent Battery Lead Cable

- 1/4" ringlet with moulded sleeve
- 15A auto fuse
- Premium SPT-2W cable rated down to -40°F



| Part No. | Description. |
|------------|----------------------|
| 7200002724 | 1/4" eyelet |
| 7200002725 | JAR (20 pieces) 1/4" |
| 7200002726 | 3/8" eyelet |
| 7200002727 | JAR (20 pieces) 3/8" |

12V Tester for Battery State of Charge, Cranking Performance and Vehicle Charging System

7200002928

The 3-in-1 pocket tester for service technicians; test and share with the customer battery health and vehicle charging performance.



- 1 - Indicates charged volt status. A poorly charged battery will deliver poor cranking.
- 2 - Cranking health test – memorizes lowest volts during cranking, indicates result for 20 seconds.
- 3 - Alternator / charging system voltage check. Too low charge voltage affects performance, too high affects life.

State of Charge Monitors

1/4" Rings 7200002926

5/16" Rings 7200002927

- Battery lead with rings, 15A fuse and SAE connector
- With integrated battery fuel gauge & charge system monitor
- Battery charge level—LED matching charge level blinks every 3 seconds (long term draw less than 0.2mA)
- Vehicle charge system—LEDs indicate if charge voltage exceeds minimum 13.5V or ideally 14V or more



7200002927



7200002926

6/12 Volt Battery Charger

77700-02136

- Slide switch for 6 volt or 12 volt battery
- Fully automatic, portable and lightweight
- Reverse polarity and short circuit protection



Rotating Electric Starters & Alternators

- Kubota Canada offers a wide selection of aftermarket starters and alternators as a second line option to the original OEM product
- All alternators and starters are NEW not remanufactured
- No core tracking or handling required
- All units are made in Canada
- Alternators validated to exceed 5,000 hours of service
- Starters validated to exceed 28,000 cycle starts
- Performance verified - 100% computerized testing during production
- See your local Kubota dealer for fitment applications



| Part No. | OEM # | Fitment Cross-Reference | Product |
|------------|-------------|---|------------|
| 7200002881 | 3C08174012 | 3C081-74010 3C081-74011 | Alternator |
| 7200002879 | 3C58174012 | 3C581-74010 3C581-74011 3C581-74012 | Alternator |
| 7200002886 | 1670564012 | 16705-64011 16705-64012 | Alternator |
| 7200002886 | 5H73042502 | 34070-75600 34070-75601 34070-75602 | Alternator |
| 7200002871 | T1850-15682 | T1850-15680 T1065-15682 T1065-15680 T1065-15600 T1850-15680 | Alternator |
| 7200002872 | K7561-61913 | K7561-61910 | Alternator |
| 7200002883 | 1525364013 | 15253-64010 15253-64011 15253-64012 15621-64010 15621-64011 | Alternator |
| 7200002883 | 1576364013 | 15763-64010 15763-64011 15763-64012 | Alternator |
| 7200002884 | 1541164012 | 15321-64012 15411-64010 15411-64011 15606-64010 15606-64011 | Alternator |
| 7200002885 | 1624164013 | 16241-64010 16241-64011 16241-64012 | Alternator |
| 7200002885 | 1623164013 | 16231-64010 16231-64011 16231-64012 | Alternator |
| 7200002873 | T1060-15683 | T1060-15680 T1060-15682 | Alternator |
| 7200002873 | 3A01174013 | 3A011-74012 T1060-15680 T1060-15681 T1060-15682 | Alternator |
| 7200002891 | 1523163015 | 15231-63012 15231-63013 15231-63014 15231-63015 15231-63016 15231-63017 | Starter |
| 7200002891 | 1585263014 | 15852-63010 15852-63011 15852-63012 15852-63013 | Starter |
| 7200002898 | 6C14059214 | 6C140-59210 6C140-59211 6C140-59212 | Starter |
| 7200002900 | 1G772-63012 | 1G772-63010 | Starter |
| 7200002900 | 1C01063013 | 1C010-63010 1C010-63011 1C010-63012 | Starter |
| 7200002899 | 1G06963010 | 1G069-63010 1G069-63011 1G069-63012 | Starter |
| 7200002899 | 1G02363010 | 1G023-63010 1G023-63011 | Starter |
| 7200002888 | K757196800 | K7571-61811 K7571-96800 | Starter |
| 7200002896 | 1546163010 | 15461-63013 15461-63014 15461-63015 | Starter |
| 7200002896 | 1734163010 | 17341-63010 17341-63013 17341-64015 | Starter |
| 7200002876 | 16285-63010 | -- | Starter |
| 7200002876 | 15504-63010 | 15741-63010 | Starter |
| 7200002876 | 1926963010 | 19269-63010 19269-63012 19269-63013 | Starter |
| 7200002897 | 1562163012 | 15621-63012 15621-63013 15621-63014 15621-63015 | Starter |
| 7200002894 | 1731163010 | 17311-63010 17311-63014 | Starter |
| 7200002894 | 3407016800 | 34070-16081 34070-16083 34070-16800 34070-16801 34070-16802 34070-16803 | Starter |
| 7200002877 | K7571-96810 | -- | Starter |
| 7200002889 | T115016800 | T1150-16800 T1150-16801 | Starter |
| 7200002890 | K771196800 | K7711-61811 K7711-96800 | Starter |
| 7200002890 | K771196810 | K7711-61811 K7711-96810 | Starter |
| 7200002878 | 15425-63010 | -- | Starter |
| 7200002887 | 1712363016 | 17123-63013 17123-63016 | Starter |

JUMPER CABLES & SPARK PLUGS

Construction Grade Jumper Cables

77700-09781

- 25 ft x 1 GA
- Includes a **FREE 28 LED Flashlight (77700-04774)**
- Heavy duty, tangle-free booster cables
- Extra flexible for easy use
- Resists oil, gas & acid
- Fits top & side mount batteries
- 900 AMP CCA



Kubota offers a wide selection of NGK spark plugs and glow plugs to fit most applications from small to large engines. See your local Kubota dealer for complete product availability



RTV Tow Strap

77700-08977

- 1-1/4" X 12' tow strap with loops and shackle
- 5,000 lbs. break strength
- Forged shackle
- Reinforced attachment loops




D-Rings

- Easy bolt on installation



| Part No. | Description | Capacity |
|--------------------|---------------------------|-------------|
| 77700-08979 (4 pk) | Light Duty Surface Mount | 1,200 lbs. |
| 77700-08980 | Medium Duty Surface Mount | 5,000 lbs. |
| 77700-08981 | Weld On | 15,000 lbs. |
| 77700-08982 | Weld On | 20,000 lbs. |



Cargo Net

77700-08978

- 34" x 34" — stretches to 60" x 60"
- Heavy duty plastic hooks prevent scratching
- Finger holes in hooks for safety and easy hook up
- Weather resistant
- Secures odd, bulky shapes
- Adjustable hooks
- Fits most UTV/RTV Bed Boxes

Cable Ties

- Superior performance
- Higher tensile strength
- Low insertion force
- Outdoor UV rating
- Made in the USA



| Part No. | Length | Rating | Qty/bag | Color |
|--------------------------|--------|------------------------|---------|--------|
| 77700-08983 | 7.6" | 50 lb. / 222.5 Newton | 100 | Black |
| 77700-08984 | 11.1" | 50 lb. / 222.5 Newton | 100 | Black |
| 77700-08985 | 14.6" | 50 lb. / 222.5 Newton | 100 | Black |
| 77700-08986 | 15" | 120 lb. / 533.7 Newton | 100 | Black |
| 77700-08987 (Mount Head) | 8" | 50 lb. / 222.5 Newton | 100 | Black |
| 77700-08988 | 24" | 175 lb. / 778.4 Newton | 50 | Black |
| 77700-08989 | 7.6" | 50 lb. / 222.5 Newton | 100 | Orange |

Heavy Duty-Adjustable



Heavy Duty-Standard

Heavy Duty Tarp Straps

- 24" and 36" tarp straps feature patented molded stirrup holes for adjustable length
- Weather and crack resistant natural rubber
- Versatile strap with high elasticity holding power
- Outlasts standard straps by over 30%

| Part No. | Length | Adjustable |
|-------------|--------|------------|
| 77700-03653 | 9" | |
| 77700-03654 | 15" | |
| 77700-03655 | 21" | |
| 77700-03656 | 24" | ✓ |
| 77700-03657 | 31" | |
| 77700-03658 | 36" | ✓ |
| 77700-03659 | 41" | |

Tarp Strap S-Hooks

77700-03660

- Four pack replacement hooks
- 5 mm S-hooks for tarp straps and adjustable tarp straps
- Strong and durable zinc coated finish



CARGO STRAPS

ShockStrap® Load-Absorbing Ratchet Straps

NEW

- **Dependable** - a ShockStrap® provides superior shock absorption without coming loose—keeps tension on the strap
- **Safety Strap** - a backup strap in case the ShockStrap® is compromised
- **Durable** - made from our proprietary formula that is not affected by most chemicals, sunlight, oil, salt water, fungus or moisture
- **Rust Resistant** - hooks and buckle are yellow zinc coated, which lasts 8 to 10 times longer than chrome plating
- **Soft Loop** - flexibility to always find a way to secure your load

| Part No. | L x W | Break Strength | Work Load |
|-------------|----------|----------------|------------|
| 77700-10680 | 9' x 2" | 6,000 lbs. | 2,000 lbs. |
| 77700-10681 | 18' x 2" | 6,000 lbs. | 2,000 lbs. |



Cargo Straps

- Thermoplastic rubber handles molded onto frames
- Weather resistant and corrosion resistant hardware finished with zinc and nickel plating or powder coating
- Cut and abrasion resistant webbing is woven from high tensile strength polyester that performs better than nylon



77700-03176



77700-03177

Heavy Duty Ratchet Tie Downs

| Part No. | L x W | Hook Style | Handle Style | Break Strength | Work Load |
|-------------|----------|------------|--------------|----------------|------------|
| 77700-03176 | 27' x 2" | JJ Hook | Bar Handle | 10,000 lbs. | 3,300 lbs. |
| 77700-03177 | 27' x 2" | Flat Hook | Bar Handle | 10,000 lbs. | 3,300 lbs. |



77700-03169



77700-03175




77700-03178

Standard Duty Ratchet Tie Downs

| Part No. | L x W | Hook Style | Handle Style | Break Strength | Work Load |
|--------------------|------------|------------|------------------|----------------|------------|
| 77700-03169 | 16' x 1" | S Hook | Small Bar Handle | 1,500 lbs. | 500 lbs. |
| 77700-03175 | 16' x 1.5" | JJ Hook | Sure Grip Handle | 5,000 lbs. | 1,666 lbs. |
| 77700-03178 (2 pk) | 6' x 1" | S Hook | Small Bar Handle | 1,800 lbs. | 600 lbs. |

Jacks For Every Need

- Our program offers most popular sizes and styles
- The lift capacities range from 1,000 to 5,000 pounds
- Kubota jacks are precision engineered with a smooth turning handle, dependable inner screw and a large foot plate
- Top wind and side wind jacks are available with lift heights from 10" to 15"
- Our tube mount jacks come with a lanyard lock pin and weld on tube mount
- Four mounting styles: Bolt on flange, Flange, A-Frame and Tube
- Complete line of replacement parts



Topwind Jacks

2,000 lb.

| Part No. | Mounting Style | Lift Height | Retracted | Extended | Lift Capacity | Static Capacity | Weight |
|-------------|---------------------|-------------|-----------|-----------|---------------|-----------------|--------|
| 77700-07986 | Flange (weld) mount | 10 in. | 11.25 in. | 21.25 in. | 2,000 lb. | 3,000 lb. | 15 lb. |
| 77700-07978 | Tubular mount | 10 in. | 11.25 in. | 21.25 in. | 2,000 lb. | 3,000 lb. | 14 lb. |
| 77700-07983 | Flange (weld) mount | 15 in. | 14.50 in. | 30.50 in. | 2,000 lb. | 3,000 lb. | 19 lb. |
| 77700-07976 | Tubular mount | 15 in. | 15.00 in. | 30.50 in. | 2,000 lb. | 3,000 lb. | 19 lb. |

5,000 lb.

| Part No. | Mounting Style | Lift Height | Retracted | Extended | Lift Capacity | Static Capacity | Weight |
|-------------|----------------|-------------|-----------|----------|---------------|-----------------|--------|
| 77700-07979 | Tubular mount | 15 in. | 14.75 in. | 30.5 in. | 5,000 lb. | 7,000 lb. | 20 lb. |
| 77700-07981 | Tubular mount | 10 in. | | | 5,000 lb. | 7,000 lb. | |
| 77700-07987 | A-frame | 15 in. | 10.25 in. | 26 in. | 5,000 lb. | 7,000 lb. | 14 lb. |


Features and Benefits:

- Manufactured to the highest standards and in excess of aftermarket standards to ensure long lasting reliability
- Powder coat paint finish on outer tubers—four times more weather and corrosion resistant than other painted jacks
- Strong large diameter pin on most models for excellent side load strength for larger equipment and in field applications
- Designed and engineered for compatibility with implements manufactured worldwide
- Larger foot plate than many competitive brands providing more stability



Trailer Jack Display Rack Components

77700-08294



77700-07984



77700-07974



77700-07985



77700-07977



77700-07975



77700-07980

Sidewind Jacks

1,000 lb.

| Part No. | Mounting Style | Lift Height | Retracted | Extended | Lift Capacity | Static Capacity | Weight |
|-------------|----------------------|-------------|-----------|----------|---------------|-----------------|--------|
| 77700-07984 | Bolt-on flange mount | 10 in. | 13 in. | 23.5 in. | 1,000 lb. | 1,000 lb. | 15 lb. |

2,000 lb.

| Part No. | Mounting Style | Lift Height | Retracted | Extended | Lift Capacity | Static Capacity | Weight |
|-------------|---------------------|-------------|-----------|-----------|---------------|-----------------|--------|
| 77700-07974 | Tubular mount | 10 in. | 11.25 in. | 21.50 in. | 2,000 lb. | 3,000 lb. | 14 lb. |
| 77700-07985 | Flange (weld) mount | 10 in. | | | 2,000 lb. | 3,000 lb. | |

5,000 lb.

| Part No. | Mounting Style | Lift Height | Retracted | Extended | Lift Capacity | Static Capacity | Weight |
|-------------|---|-------------|-----------|-----------|---------------|-----------------|--------|
| 77700-07977 | Tubular mount | 10 in. | 10.75 in. | 20.75 in. | 5,000 lb. | 7,000 lb. | 17 lb. |
| 77700-07975 | Tubular mount | 15 in. | 15.50 in. | 31.50 in. | 5,000 lb. | 7,000 lb. | 20 lb. |
| 77700-07980 | Direct-weld mount (jack must be welded directly to trailer frame) | 15 in. | 24.75 in. | 52.5 in. | 5,000 lb. | 8,000 lb. | 26 lb. |

Replacement Parts


| Part No. | Description | Fits Utility Jacks | Weight |
|-------------|-------------------------------|---|----------|
| 77700-07982 | Weld-on tube mount — 5/8 in. | Tube mount jacks with 5/8 in. tube | 0.85 lb. |
| 77700-07988 | Dent tube — 5/8 in. tube | Tube mount jacks with 5/8 in. tube hole | 0.50 lb. |
| 77700-07989 | Sidewind handle assembly | 5,000 lb. sidewind jacks | 1.70 lb. |
| 77700-07990 | Sidewind handle assembly | 2,000 lb. sidewind jacks | 1.35 lb. |
| 77700-07991 | Topwind handle assembly | All 2,000 lb. and 5,000 lb. topwind jacks | 1.00 lb. |
| 77700-07992 | Removable footbase repair kit | All 2,000 lb. and 5,000 lb. A-frame jacks | 1.95 lb. |
| 77700-07993 | Flange mount L-bracket | All flange mounts to 5,000 lb. | 1.30 lb. |
| 77700-07994 | Circlip retaining ring | All flange mounts to 5,000 lb. | 0.05 lb. |



77700-07982



77700-07988



77700-07992



77700-07989



77700-07990



77700-07991




77700-07993



77700-07994

Forged Top Links

- Quality forged top links available in Category 0, 1 and 2
- All top links are yellow zinc plated
- The ends are clear zinc plated



| Part No. | Cat. | A Pin Hole Size | B Thread Diameter | C Body Length | D Closed Length | Open Length | Color |
|-------------|------|--------------------|----------------------|------------------|--------------------|-------------|--------|
| 77700-06378 | 0 | 5/8" | 3/4" NC | 7-5/8" | 11" | 16" | Plated |
| 70000-16652 | 1 | 3/4" | 1-1/8" NC | 13-1/4" | 17" | 26" | Plated |
| 70000-16576 | 1 | 3/4" | 1-1/8" NC | 16" | 21" | 28" | Plated |
| 70000-73347 | 2 | 1" | 1-1/8" NC | 16" | 21" | 31" | Plated |



70000-16576

Forged Weld-on Top Link Ends


- High-quality weld-on top link ball sockets in Category 1 and 2 sizes




| Part No. | Description |
|-------------|---|
| 77700-06417 | Category 1 forged top link end, 3/4" pin hole |
| 77700-06418 | Category 2 forged top link end, 1" pin hole |

Top Link Reducer Bushings

- Used in the pin hole of a top link to allow a smaller category pin to fit
- Yellow zinc dichromate plated
- See page 50 for countertop display



| Part No. | Cat. | Description | Outside Diameter | Inside Diameter | Length |
|-------------|------|--|------------------|-----------------|----------|
| 70000-16633 | 0-1 | Fits all Cat. 0 top link pins | 3/4" | 5/8" | 1-5/8" |
| 70000-16635 | 1-2 | Fits all Cat. 1 top link pins; replaces Ford C7NN6993A | 1" | 3/4" | 1-15/16" |
| 70000-73597 | 1-2 | Fits all Cat. 1 top link pins; short | 1" | 3/4" | 1-5/8" |
| 70000-16637 | 2-3 | Fits all Cat. 2 top link pins | 1-1/4" | 1" | 1-15/16" |



Lift Arm Reducer Bushings

- Used in the pin hole of a lift arm to allow a smaller category pin to fit
- Yellow zinc dichromate plated
- See page 50 for countertop display

| Part No. | Cat. | Description | Outside Diameter | Inside Diameter | Length |
|-------------|------|--|------------------|-----------------|--------|
| 70000-73314 | 0-1 | Fits all Cat. 0 lift arm pins | 7/8" | 5/8" | 1-3/8" |
| 70000-16632 | 1-2 | Fits all Cat. 1 lift arm pins; Ford C7NN6992A | 1-1/8" | 7/8" | 1-3/4" |
| 70000-16634 | 1-2 | Fits all Cat. 1 lift arm pins; replaces John Deere F2684 | 1-1/8" | 7/8" | 1-3/8" |
| 70000-16636 | 2-3 | Fits all Cat. 2 lift arm pins | 1-7/16" | 1-1/8" | 1-3/4" |
| 70000-16638 | 2-3 | Fits all Cat. 2 lift arm pins; 15/32" lynch pin hole | 1-7/16" | 1-1/8" | 2-1/2" |

Top Link & Lift Arm Replacement Balls



- Top link and lift arm balls for Ford, John Deere, Oliver and other tractors
- Designed to replace original balls
- Yellow zinc dichromate plated



| Part No. | Cat. | Description | Pin Hole Size | Length Thru Bore | Ball Diameter |
|-------------|------|--|---------------|------------------|---------------|
| 70000-16587 | 1 | John Deere & Oliver top link ball; replaces Deere F2680, Oliver 105968A | 3/4" | 1-3/4" | 2" |
| 70000-16588 | 2 | John Deere & Oliver top link ball; replaces Deere F2681, Oliver 104585A | 1" | 1-3/4" | 2" |
| 70000-16589 | 1 | Ford lift arm ball; replaces Ford DDN995233; fits Ford 5000 | 7/8" | 1-3/8" | 2-1/4" |
| 70000-16590 | 2 | Ford lift arm ball; replaces Ford C5NN557A; fits Ford 3000, 4000, 5000 | 1-1/8" | 1-3/4" | 2-1/4" |
| 70000-16592 | 2 | Oliver lift arm ball; replaces Oliver 104591A; fits all models with claw type lift arm | 1-1/8" | 1-3/4" | 2" |
| 70000-73949 | 2 | Ford lift arm ball; narrow width; replaces C5NN557B | 1-1/8" | 1-3/8" | 2-1/4" |

Drawbars

- One piece 3-point hitch cross drawbars to fit Cat. 0 through Cat. 2 tractors



Drawbar




Drawbar Lock

| Part No. | Cat. | Number of Holes | A Lift Arm Spacing | B Hole Diameter | C Pin Diameter | D Thickness | E Width | Color |
|-------------|---|-----------------|--------------------------|-----------------------|----------------------|----------------|------------|-------|
| 70000-73951 | 0 | 7 | 20" | 5/8" | 5/8" | 5/8" | 2" | Black |
| 70000-16651 | 0/1 | 7 | 20" | 3/4" | 7/8" | 1" | 2-1/2" | Black |
| 70000-16594 | 1 | 11 | 26" | 3/4" | 7/8" | 1" | 2-1/2" | Black |
| 70000-16597 | 2 | 11 | 26" | 3/4" | 1-1/8" | 1-1/4" | 3" | Black |
| 77700-06419 | Drawbar lock for category 1 tractors; prevents drawbar on 3-point hitch from rotating | | | | | | | |

Stabilizer Arms, Bracket, Stabilizer Pin & Ratchet Jack

- Replacement stabilizer arms for stabilizer kits and a variety of tractors. Stabilizer arms increase the stability of the tractor lift arms. Stay straps for Cat. 1 tractors are used to maintain an implement at a set height.
- Stabilizer stub pins for Ford, Ferguson and other stabilizer kits
- Yellow zinc dichromate plated and black powder coat paint
- Ratchet jacks have multiple uses including the adjustment of implements and equipment. They replace hydraulic cylinders or old screw jacks in those applications where infrequent adjustment is needed.



Stay Strap



Universal Stabilizer Arm



Stabilizer Bracket



Adjustable Forged Stabilizer Arm



Stabilizer Pin



Ratchet Jack

| Part No. | Description |
|-------------|--|
| 70000-16599 | Upper stay strap for Category 1; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, 600, 700, 800, 900, Oliver 550 and all Oliver 3-point conversions, Massey-Ferguson 35 and 50; painted black |
| 70000-16600 | Lower stay strap for Category 1; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, 600, 700, 800, 900, Oliver 550 and all Oliver 3-point conversions, and Massey-Ferguson 35 and 50; painted black |
| 70000-16603 | Right or left universal stabilizer arm; 7/8" pin holes on 31-9/16" centers; painted black |
| 70000-16604 | Right or left universal stabilizer arm; replaces Massey-Ferguson ST96362358; 7/8" pin holes on 33-1/8" centers; painted black |
| 70000-16605 | Heavy duty adjustable forged stabilizer arm; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, 600, Massey-Ferguson 35, 50, 175, 65, 135, 150, 165, 180; adjustable from 28-1/2" to 36"; 7/8" pin holes; 7/8" NF threads; yellow zinc plated |
| 70000-16606 | Right or left universal stabilizer bracket; Ferguson and Ford stabilizer kits; accommodates 70000-16629 stabilizer stub pin; painted black |
| 70000-16629 | Stabilizer Pin: Pin Diameter 7/8", Usable Length 3/8", Overall Length 2-5/8", Thread Diameter 5/8" NF |
| 70000-16575 | Ratchet Jack: Heavy duty ratchet jack with 1-1/4" ACME threads and grease zerks; adjustable from 20" closed to 28" open; 1" clevis pins, clip pins and handle included; color black |

Lift Arms & Lift Arm Parts

| Part No. | Description |
|-------------|---|
| 70000-16593 | Category 1 right or left hand forged lift arm; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, Massey-Ferguson 35, 50, Oliver 550 and Oliver 3-point conversion, John Deere 1010; 7/8" pin holes; 31-3/4" ball centers; 34-1/2" overall length; painted black |
| 70000-73317 | Category 1 forged right or left hand straight lift arm repair end; 7/8" pin hole; 4" overall length |
| 70000-73599 | Category 2 forged right or left straight lift arm repair end; 1-1/8" pin hole; 5" overall length |
| 70000-16574 | Category 1 lift arm leveling assembly; 18-1/2" closed; 25" open length; 7/8" NF thread diameter; replaces Ford NCA577A |



Top Link Pins

- Sizes and styles for Category 0 through 2 tractors
- Yellow zinc dichromate plated
- See page 50 for a linkage pin countertop display

| Part No. | Cat. | Description | Pin Diameter | Usable Length | Overall Length |
|-------------|------|---|--------------|---------------|----------------|
| 70000-16624 | 0 | Top link pin | 5/8" | 3" | 4-7/16" |
| 70000-16621 | 1 | Replaces Ford 9N-560, Ferguson 195647M1 | 3/4" | 2-3/4" | 4-1/2" |
| 70000-16622 | 1 | Long top link pin; replaces Ferguson 195589M1, AC339942 | 3/4" | 3-7/8" | 5-1/2" |
| 70000-16626 | 1 | Extra long top link pin; replaces Ford E381T9 | 3/4" | 4-3/4" | 6-3/8" |
| 70000-73956 | 2 | Replaces Ford C5NN560A, MF185873M91, AC2090149/239888 | 1" | 3-9/16" | 5-1/4" |
| 70000-16623 | 2 | Replaces Ford C5NN486A | 1" | 4-3/8" | 6" |

Draw Pins (Lift Arm Pins)

- Forged and adjustable Category 0 through 2 draw pins for a variety of applications
- All pins are yellow zinc dichromate plated
- See page 50 for a linkage pin countertop display



| Part No. | Cat. | Description | Pin Diameter | Usable Length | Overall Length | Thread Diameter | Thread Length |
|-------------|------|--|--------------|---------------|----------------|-----------------|---------------|
| 70000-16614 | 0 | Adjustable; universal | 5/8" | Adjustable | 3-7/8" | 5/8" NF | 2" |
| 70000-16608 | 1 | Adjustable; universal | 7/8" | Adjustable | 5" | 7/8" NF | 2-5/8" |
| 70000-16610 | 1 | Forged; universal | 7/8" | 1-3/4" | 5-1/2" | 7/8" NF | 1-5/8" |
| 70000-16613 | 1 | Adjustable; universal; extra long | 7/8" | Adjustable | 6-1/4" | 7/8" NF | 3-1/2" |
| 70000-73952 | 1 | Forged; extra long | 7/8" | 2-1/4" | 6-1/2" | 7/8" NF | 2-1/4" |
| 70000-73425 | 1-2 | Forged; to work Cat. 1 implements on Cat. 2 tractor | 1-1/8" | 1-13/16" | 5-1/4" | 7/8" NF | 1-5/8" |
| 70000-16609 | 1-2 | Adjustable; to work cat. 1 implements on cat. 2 tractors | 1-1/8" | Adjustable | 5-1/4" | 7/8" NF | 2-7/16" |
| 70000-16607 | 2 | Adjustable; universal | 1-1/8" | Adjustable | 6-1/8" | 1-1/8" NF | 3-3/8" |
| 70000-16612 | 2 | Forged; universal | 1-1/8" | 1-3/4" | 6-1/8" | 1-1/8" NF | 2-3/8" |

Swivel Handle Forged Hitch Pins

- Forged head hitch pin with swivel handle and zinc plated "R" clip pin
- More than 25% stronger than Grade 2
- Yellow zinc dichromate plated
- See page 50 for countertop display

| Part No. | Pin Diameter | Usable Length | Overall Length |
|-------------|--------------|---------------|----------------|
| 77700-06397 | 3/8" | 3-1/2" | 5" |
| 70000-73957 | 3/8" | 4-1/4" | 5-3/4" |
| 77700-06398 | 1/2" | 3-1/2" | 5" |
| 70000-73426 | 1/2" | 4-1/4" | 5-3/4" |
| 70000-73428 | 5/8" | 4-1/4" | 5-3/4" |
| 70000-16641 | 3/4" | 4-1/4" | 5-3/4" |
| 77700-06393 | 1" | 4-1/4" | 5-3/4" |

| Part No. | Pin Diameter | Usable Length | Overall Length |
|-------------|--------------|---------------|----------------|
| 70000-73427 | 1/2" | 6-1/4" | 7-3/4" |
| 70000-16640 | 5/8" | 6-1/4" | 7-3/4" |
| 70000-16642 | 3/4" | 6-1/4" | 7-3/4" |
| 70000-73958 | 7/8" | 4-1/4" | 5-3/4" |
| 70000-16643 | 7/8" | 6-1/4" | 7-3/4" |
| 70000-16644 | 1" | 6-1/4" | 7-3/4" |
| 70000-73429 | 1-1/8" | 6-1/4" | 7-3/4" |
| 70000-73576 | 1-1/4" | 6-1/4" | 7-3/4" |



Red Head Hitch Pins

- Designed for today's demanding applications, these one piece, grade 5 performance, forged hitch pins are made from high strength steel and heat treated
- Pin has black powder coating with a red vinyl coated head and handle. Zinc plated "R" clip pin included
- See page 50 for the display

| Part No. | Pin Diameter | Usable Length | Overall Length |
|-------------|--------------|---------------|----------------|
| 70000-73959 | 1/2" | 3-5/8" | 6-5/8" |
| 70000-73960 | 5/8" | 4" | 7" |
| 70050-94463 | 5/8" | 5-3/4" | 9" |
| 70000-73754 | 3/4" | 4" | 7" |
| 70000-73750 | 3/4" | 6-1/2" | 9-1/2" |
| 70000-73752 | 7/8" | 6-1/2" | 9-1/2" |
| 70000-73751 | 1" | 7-1/2" | 10" |
| 70000-73755 | 1-1/8" | 8-1/2" | 11-1/2" |
| 77700-06413 | 1-1/4" | 8-1/2" | 11-1/2" |
| 7000-73757 | 1-1/2" | 8-1/2" | 11-1/2" |

Bent Hitch Pins

- These pins have numerous farm, lawn and garden and industrial applications
- Complete with zinc plated "R" clip pin
- Yellow zinc dichromate plated

| Part No. | Pin Diameter | Usable Length |
|-------------|--------------|---------------|
| 77700-06394 | 1/2" | 3" |
| 77700-06395 | 5/8" | 3" |
| 77700-06396 | 3/4" | 3-1/2" |



"R" Clip Pins & "R" Clip Pin Assortment

- Available in the most popular sizes for farm and other applications
- Yellow zinc dichromate plated spring wire

| Part No. | Wire Diameter | Overall Length | Fits Pin Diameter |
|-------------|--|----------------|-------------------|
| 70000-16645 | 1/16" | 1-9/16" | 3/8" to 1/2" |
| 70000-16646 | 3/32" | 1-5/8" | 1/4" to 1/2" |
| 70000-16647 | 1/8" | 1-15/16" | 1/2" to 3/4" |
| 70000-16648 | 5/32" | 2-15/16" | 5/8" to 1" |
| 70000-16649 | 3/16" | 3-3/4" | 7/8" to 1-1/4" |
| 70000-16650 | 1/4" | 4" | 3/4" to 1" |
| 77700-06415 | Hitch pin clip assortment in plastic blister box; contains 3- 70000-16646, 4- 70000-16647, 4- 70000-16648 and 3- 70000-16649 | | |



77700-06415



Lynch Pins

- Fasteners for numerous farm and other applications
- Yellow zinc dichromate plated except for the S07091300 which has a black powder coated finish

70000-73593

- See page 50 for the countertop assortment



70000-73577



70000-73578

| Part No. | Description | Pin Diameter | Usable Length | Shank Length | Overall Length |
|-------------|---------------------------------------|--------------|---------------|--------------|----------------|
| 70000-73961 | Standard | 3/16" | 1" | 1-3/8" | 1-5/8" |
| 70000-73577 | Standard | 7/16" | 1-1/4" | 1-3/4" | 2" |
| 70000-73578 | S07090100 with chain and cotter pin | 7/16" | 1-1/4" | 1-3/4" | 2" |
| 70000-73579 | Standard | 1/4" | 1-1/4" | 1-3/4" | 2-1/8" |
| 77700-06383 | Standard | 5/16" | 1-1/4" | 1-3/4" | 2-1/8" |
| 70000-73593 | Heavy duty; fits Cat. 1, 2 and 3 pins | 7/16" | 1-1/2" | 1-3/4" | 2-1/8" |
| 77700-06420 | Long; fits Cat. 1, 2 & 3 pins | 7/16" | 1-3/4" | 2" | 2-5/16" |

Lock Pins

- Numerous farm, lawn and garden, and industrial applications
- Round and square loop styles
- Yellow zinc dichromate plated
- See page 50 for countertop assortment




| Part No. | Diameter | Usable Length | Wire Loop |
|-------------|----------|---------------|-----------|
| 70000-73866 | 1/4" | 1-3/4" | Round |
| 77700-06389 | 1/4" | 2-1/2" | Round |
| 70000-73867 | 5/16" | 2-1/4" | Square |
| 70000-73594 | 5/16" | 2-1/4" | Round |
| 70000-73869 | 3/8" | 2-1/4" | Round |
| 77700-06390 | 3/8" | 2-1/4" | Square |

Hitch Pin Assortments


Red Head

| Part No. | Description |
|-------------|--|
| 77700-06403 | Grade 5 red head hitch pin assortment on wire rack with header sign; contains 6- 70050-94463, 8-70000-73754, 8- 70000-73750, 4- 70000-73752 and 3- 70000-73751 |
| 77700-06931 | Red Head Hitch Pin Header Card ONLY |



Swivel Handle

| Part No. | Description |
|-------------|--|
| 77700-06402 | Forged swivel handle hitch pin assortment on wire rack with header sign; contains 6- 70000-16640, 6-70000-16641, 6- 70000-16642, 3- 70000-16643 and 3- 70000-16644 |
| 77700-06930 | Swivel Handle Hitch Pin Header Card ONLY |
| 77700-06846 | Hitch Pin Wire Rack ONLY |



Linkage Pin Assortment

| Part No. | Description |
|-------------|---|
| 77700-06401 | Universal linkage pin assortment on wire rack with header sign; features the most popular Category 1 and 2 top link pins and draw pins; contains 4- 70000-16621, 4- 70000-16622, 3-70000-73956, 3- 70000-16623, 4- 70000-16608, 4-70000-16610, 3- 70000-16613, 3- 70000-73952, 3- 70000-16609, 3-70000-73425, 4- 70000-16607 and 3- 70000-16612 |
| 77700-06799 | Linkage Pin Wire Rack ONLY |
| 77700-06929 | Linkage Pin Header Card ONLY |



Bushing Assortment

| Part No. | Description |
|-------------|--|
| 77700-06400 | Bushing assortment in counter top display carton with emphasis on Cat. 1-2; contains 10- 70000-16635, 28- 70000-16632, 6- 70000-16637, 6- 70000-16636 and 4- 70000-16638 |



Lynch Pin Assortment

| Part No. | Description |
|-------------|---|
| 77700-06399 | Lynch pin assortment counter top display; contains 15- 77700-06383, 15- 70000-73961, 20- 70000-73593, 30- 70000-73577, 15- 70000-73578, 30- 70000-73579 and 10- 77700-06420 |



Lock Pin Assortment


| Part No. | Description |
|-------------|--|
| 77700-06404 | Lock Pin Display; contains 8- 70000-73867, 28- 70000-73594, 8- 70000-73869, 8- 77700-06389, 8- 77700-06390 |



Tough & Reliable For Farm, Ranch, Construction

Designed and engineered totally forged with heat treated pins. Total forging provides better grain structure without built-in stress and more consistency in strength, quality and performance. Clevises are available with black powder coat paint and clevis pins are yellow zinc dichromate.

- High strength and excellent corrosion protection for long life
- Farm, straight, twisted, utility, and general purpose clevises available for use in farm, ranch, construction and homeowner applications
- A variety of sizes are available to fit the needs of any job
- Tractor drawbar grab hook is formed from medium carbon steel, quenched and tempered
- Do not exceed working load limits
- Clevises and tractor drawbar grab hook are not for lifting



77700-73964



77700-73970

Straight Clevis

| Part No. | Pin Diameter | Usable Length | Body Diameter | Clevis Opening | Working Load Limit |
|-------------|--------------|---------------|---------------|----------------|--------------------|
| 70000-73964 | 5/8" | 3-3/4" | 3/4" | 1-5/16" | 12,000 lbs |
| 70000-73965 | 3/4" | 3-1/4" | 7/8" | 1-5/16" | 16,000 lbs |
| 70000-73966 | 3/4" | 4-1/4" | 7/8" | 1-5/16" | 16,000 lbs |
| 70000-73968 | 1" | 5-5/16" | 1" | 2-1/8" | 25,000 lbs |

Twisted Clevis

| Part No. | Pin Diameter | Usable Length | Body Diameter | Clevis Opening | Working Load Limit |
|-------------|--------------|---------------|---------------|----------------|--------------------|
| 70000-73970 | 3/4" | 3" | 7/8" | 1-5/16" | 16,000 lbs |
| 70000-73971 | 3/4" | 3-7/8" | 7/8" | 1-5/16" | 16,000 lbs |
| 70000-73972 | 7/8" | 4-1/4" | 15/16" | 1-7/16" | 20,000 lbs |

Utility Clevis

| Part No. | Pin Diameter | Usable Length | Body Diameter | Clevis Opening | Working Load Limit |
|-------------|--------------|---------------|---------------|----------------|--------------------|
| 70000-73976 | 5/16" | 7/8" | 1/4" | 15/32" | 1,000 lbs |
| 70000-73977 | 3/8" | 1" | 5/16" | 17/32" | 1,500 lbs |
| 70000-73978 | 7/16" | 1-1/4" | 3/8" | 21/32" | 2,000 lbs |
| 70000-73979 | 1/2" | 1-1/2" | 7/16" | 23/32" | 3,000 lbs |
| 70000-73980 | 5/8" | 1-11/16" | 1/2" | 13/16" | 6,000 lbs |

General Purpose Clevis

| Part No. | Pin Diameter | Usable Length | Body Diameter | Clevis Opening | Working Load Limit |
|-------------|--------------|---------------|---------------|----------------|--------------------|
| 70000-73974 | 3/4" | 6-3/16" | 3/4" | 2-1/2" | 10,000 lbs |


Farm Clevis

| Part No. | Pin Diameter | Usable Length | Body Diameter | Clevis Opening | Working Load Limit |
|-------------|--------------|---------------|---------------|----------------|--------------------|
| 70000-73981 | 7/16" | 1-7/16" | 3/8" | 23/32" | 3,000 lbs |
| 70000-73983 | 5/8" | 1-15/16" | 1/2" | 13/16" | 6,500 lbs |
| 70000-73984 | 7/8" | 3" | 3/4" | 1-1/4" | 13,000 lbs |

Tractor Grab Hook

Straight Clevis

| Part No. | Pin Diameter | Usable Length | Working Load Limit |
|-------------|---|----------------------------------|--------------------|
| 70000-73975 | For all tractor drawbars up to 1-5/8" thick | For use with 5/16" to 1/2" chain | 9,000 lbs |



Bottle Jacks

- Offers the easiest accessible pumping system
- Unique cross-type forged release valve assures positive control
- Patented built-in by-pass device protects hydraulic system from over pumping damage

| Part No. | Capacity | Base Size (L x W) | Min. Height | Max. Height |
|-------------|----------|-------------------|-------------|-------------|
| 77700-03503 | 12 Ton | 7" x 4-1/2" | 9-1/2" | 18-5/8" |
| 77700-03504 | 20 Ton | 7-3/4" x 5" | 9-1/2" | 18-5/8" |



77700-03504

10 Ton Jack Stand

77700-03506

- Medium lift pin-style jack stand
- Base size: 16" x 16"
- Min. height: 18-5/8" / Max. height: 30-1/2"



Magic Lift Service Jacks

- Offers quicker lift for professional performance
- Heavy gauge, steel construction helps prevent distortion and twisting
- Patented built-in by-pass device protects hydraulic system from over pumping damage

| Part No. | Capacity | Jack Size (L x W x H) | Min./Max Height | Saddle Diameter |
|-------------|-----------|----------------------------|-----------------|-----------------|
| 77700-03505 | 3-1/2 Ton | 30-7/8" x 14-7/8" x 7-1/4" | 4" / 21-5/8" | 4-3/4" |
| 77700-03671 | 10 Ton | 55-7/8" x 19-5/8" x 9-5/8" | 6-7/8" / 27" | 6-1/2" |

77700-03671



SHOP PRODUCTS

Oil Change Kit

77700-09765

- Convenient kit includes everything you need to change oil or fluids in any engine powered vehicle, maintenance equipment or outdoor power sports machine
- Includes: one 6.5 qt. drain pan, one 1-pint oil funnel, one 15" x 18" absorbent pad, two pairs nitrile gloves, four shop towels

NEW



NEW



36" Heavy Duty Grabber Tool

77700-09780

- Ergonomic handle with safety lock
- Steel frame with ABS reinforced material
- Adjustable jaw width & strong holding ABS teeth
- Removable suction cups allow for use with smooth or hard surface items

Mountable Shop Towel Bucket

77700-02460

Refill 77700-03672

- All new & exclusive optional dispenser mount
- Easily carried for remote use and can also be placed into the wall mount for both local usage and storage
- 200 count, 10" x 13" each (180 sq. ft. total)
- Refill features water resistant packaging with peel and re-seal top and cardboard dispensing disk



Refill



Tool Box Creeper

77700-04749

- Professional grade—rated at 450 lbs. vs. retail grade rated for 300 lbs.
- 3" heavy duty, non-marking, oil-resistant, ball bearing casters
- Extra thick seat cushion for operator comfort
- Three full suspension drawer slides with one top lock
- Front and back tool trays
- 14" x 14" x 15"



Two Position Z Creeper

77700-04748

- Easily transforms from creeper to shop seat in seconds—no tools required!
- Professional grade—rated for 450 lbs. vs. retail grade rated for 300 lbs.
- 3" heavy duty, non-marking, oil-resistant, ball bearing casters
- 41-1/4" x 19-5/8" x 6-1/8"



Air Comb® Filter and Radiator Cleaners

12" 77700-06205
24" 77700-03394
36" 77700-03395

- Flush 90° multi-port air flow
- Delivers 5X the air volume
- 1/4" NPT air inlet
- Access hard-to-reach areas
- Fits between radiator and condenser
- Safe on all air filters



Five ports deliver efficient air flow

Multi-Functional Rechargeable Flashlight

77700-10784

- Powerful 600 lumens
- Built-in USB charger
- Features magnets on clip and base
- Hands-free with 360° rotating hook and 180° swivel stand
- LED display shows percentage of battery remaining
- Water and dust proof rating IP44
- Use as flashlight, work light, charger, ideal for commercial and outdoor use

NEW



Blow Guns

24" / 609,5 mm 77700-03392

48" / 1 219 mm 77700-03393

- Zinc-alloy body with satin finish
- Aluminum nozzle with durable oxidized finish
- 1/4" NPT air inlet
- 90 PSI working pressure / 150 PSI maximum working pressure
- Convenient angle design for hard-to-reach areas



Flex-Light Flashlight/Worklight

77700-08995


- Strong holding magnet and foldable hook for hands free use
- Convenient pocket size
- 200 lumen ultra bright COB technology
- Adjustable to 180 degree angle
- Durable molded frame resists shock, water/weather resistant



28 LED Flashlight

77700-04774

- 4 LED spot lights
- 24 LED bright flood lights
- Magnetic back plus a fold out hanging hook
- Ultra bright and compact



LED Pocket Pen Flashlight

77700-06342

- Generates 90 lumens of light
- 1 watt LED bulb
- Convenient pocket clip and durable aluminum chassis
- Includes 2 AAA batteries
- Dimensions: 1/2" diameter, 5.5" length
- Shock proof and drop test resistant

LIGHTS & HAND TOOLS

Heavy Duty LED Magnetic Worklight

77700-09772

- Dual color light - white & amber
- Three LED's of 3 Watts each, total of 500 Lumens
- Strong holding magnetic base
- 5 Volt USB charging cable
- IP 65 Rating

NEW



Camo Heavy Duty LED Magnetic Worklamp

77700-09773

- Five 3-watt LEDs and a high intensity flood beam
- Three operating modes — 100% intensity, 30% intensity & SOS flashing
- Magnetic base
- Long-life, rechargeable lithium battery allows worklamp to be operated continuously for 3-4 hours

NEW



Heat Shrink Tube Kit

77700-09003

- 171 pieces
- 2:1 shrink ratio
- UL approved polyefin heat shrink tubes
- Operating temp.: -67°F to 257°F
- Shrink temp.: starts at 158°F - ends at 230°F



- Maximum electrical rating: 600 volts

Dual-Bladed Mower Scraper

77700-08990

- Clean mower deck for a better cut and healthier lawn
- Longer deck life—helps prevent rust
- Flat or round blade
- Attaches to pole for lawn tractors



5 LED Magnetic Clip Light

77700-05373

- **30% brighter!**
- Ultra bright and compact
- Ideal for small or tight spaces
- Magnetic back and handy clip for hands free use



12" Adjustable Wrench

77700-09004

- Versatile, large jaw capacity up to 1-11/32" (34 mm)
- Durable chrome molybdenum alloy steel
- Steel jaws hold their grip
- Adjustable thumb wheel accommodates standard or metric sizes



Pliers

- Zinc plated construction resists corrosion
- Drop forged and heat treated for strength and durability



77700-04741

77700-04743

77700-04742

77700-04745

| Part No. | Description |
|-------------|--------------------------|
| 77700-04741 | 6-1/2" Slip Joint Pliers |
| 77700-04742 | 8" Slip Joint Pliers |
| 77700-04743 | 10" Adjustable Pliers |
| 77700-04744 | POP Display Kit |
| 77700-04745 | 8" Leather Plier Holder |

Retractable Utility Knife

77700-02485

- Quick change blade mechanism
- Smooth retracting/locking blade advance
- Includes three replacement blades



12-in-1 Multi-Purpose Tool

77700-02475

- Closed: 4.1" Open: 6.6"
- Stainless steel blades
- Includes carrying case
- Tools: Philips screwdriver, pliers, wire cutter, knife serrated blade, 2 knives, can opener, 2 sided file, bottle opener and 2 slotted screwdrivers



25' Dual Rule Tape Measure

77700-02481

- Tough, impact resistant plastic case
- Easy-to-read tape markings in inches and centimeters
- Hands-free blade lock

Magnetic Parts Tray

77700-02476

- 4-1/4" corrosion resistant stainless steel dish
- Rubber covered magnetic base



Stainless Steel Scraper

77700-02478

- Rigid stainless steel go-thru blade with metal capped handle for strength and durability
- Comfortable TPR handle for maximum grip



Folding Knife

77700-02482

- Closed: 3.9" Open: 6.3"
- Stainless steel blade



14" x 6-1/4" Magnetic Tray

77700-03677

- Corrosion resistant stainless steel tray
- 3 powerful permanent magnets

Telescoping Magnetic Pickup Tool

77700-02479

- Telescopes from 6-1/2" to 33"
- Powerful 5 lb. magnet features shielded sides for targeted pickups



TRAILER TESTERS

4/5 Pin Harness Checker

77700-02457

- Great for tracking truck and trailer lighting functions
- Each LED light corresponds to the circuit being energized
- Plugs in-line with truck and trailer
- Easy to connect ground terminal for trailer lighting setup



7 Flat Pin Circuit Tester

77700-02458

- Quickly tests and troubleshoots truck and trailer electrical circuits and connectors
- Plugs into truck side trailer harness
- LED lights indicate each circuit is complete and the current is getting to the plug

Towing Kits


- Quickly test, clean and repair truck and trailer connectors
- Extends the life of the harnesses
- Promotes safety and limits road hazards
- Cleaning tools remove corrosion and re-size terminals to proper dimensions
- Includes cleaner/re-sizer, DeoxIT® Restore/Enhance and harness tester



77700-03673



77700-03881



77700-03675




77700-03674

| Part No. | Pin Style | Application |
|-------------|----------------|--|
| 77700-03673 | 6 Round | Light and medium duty truck, RV and trailer |
| 77700-03674 | 7 Flat (Spade) | Medium duty truck, SUV and trailer |
| 77700-03675 | 7 Round | Heavy duty tractor and trailer |
| 77700-03881 | 4/5 Pin | Cars and trucks, agricultural, industrial, landscaping, contracting, sporting, and fleet connections |

All iGRIP studs are manufactured in hot dipped steel to maximize their durability and with a zinc heat galvanization process which acts as a shield against corrosion. All studs are equipped with a tungsten carbide point to provide a continued and increased traction. This is possible thanks to unparalleled depth of the stud's anchoring in the ice. Easy and quick to install, especially because of the tool provided, the iGrip stud may be used without any difficulties more than one season on new or used tires. As well, the studs are easy to remove, as needed.

- Easy to install (tools and guide supplied) and to remove (no need for summer and winter tires)
- Enhanced off-road performance
- Fuel economy
- Excellent alternative to chains (less noisy and expensive)
- Excellent alternative to traditional "tire studs"
- Enhanced safety
- Better grip
- More stable driving
- Improved vehicle braking capacity
- Lasting durability
- Light
- Noiseless



Standard Screw Studs

Loader, Tractor, Fork Lift, Articulated Truck

| Part No. | Description |
|----------|--|
| ST-30200 | 1" 1/8-30MM STANDARD STUDS, BOX OF 200 |
| ST-30100 | 1" 1/8-30MM STANDARD STUDS, BOX OF 100 |

Loader, Tractor, Fork Lift, Articulated Truck

| Part No. | Description |
|----------|------------------------------------|
| ST-25200 | 1"-25MM STANDARD STUDS, BOX OF 200 |
| ST-25100 | 1"-25MM STANDARD STUDS, BOX OF 100 |

Small Loader, Skid Steer, Tractor, Grader

| Part No. | Description |
|----------|--------------------------------------|
| ST-18200 | 3/4"-18MM STANDARD STUDS, BOX OF 200 |
| ST-18150 | 3/4"-18MM STANDARD STUDS, BOX OF 150 |
| ST-18100 | 3/4"-18MM STANDARD STUDS, BOX OF 100 |

Small Loader, Tractor, Grader, Motorcycle, ATV, Motocross

| Part No. | Description |
|----------|--------------------------------------|
| ST-15200 | 5/8"-15MM STANDARD STUDS, BOX OF 200 |
| ST-15150 | 5/8"-15MM STANDARD STUDS, BOX OF 150 |
| ST-15100 | 5/8"-15MM STANDARD STUDS, BOX OF 100 |

Snowmobile track 1-1/4" & +

| Part No. | Description |
|-----------|------------------------------------|
| ST-25200R | 1"-25MM STANDARD STUDS, BOX OF 200 |

Snowmobile track 1-1/4" & +, ATV, Motocross

| Part No. | Description |
|-----------|--|
| ST-24200R | 15/16"-24MM STANDARD STUDS, BOX OF 200 |

Snowmobile track 1-1/4" & -, ATV, Motocross

| Part No. | Description |
|-----------|--------------------------------------|
| ST-20200R | 3/4"-20MM STANDARD STUDS, BOX OF 200 |

Shoes & Boots Studs

Work Boots

| Part No. | Description |
|----------|---------------------------------------|
| ST-11200 | 7/16"-11MM STANDARD STUDS, BOX OF 200 |
| ST-11150 | 7/16"-11MM STANDARD STUDS, BOX OF 150 |
| ST-11100 | 7/16"-11MM STANDARD STUDS, BOX OF 100 |
| ST-1124 | 7/16"-11MM STANDARD STUDS, BOX OF 24 |

Work Boots, Shoes, Running Shoes & Bicycles

| Part No. | Description |
|----------|---------------------------------------|
| ST-08200 | 5/16"-08MM STANDARD STUDS, BOX OF 200 |
| ST-08150 | 5/16"-08MM STANDARD STUDS, BOX OF 150 |
| ST-08100 | 5/16"-08MM STANDARD STUDS, BOX OF 100 |
| ST-0824 | 5/16"-08MM STANDARD STUDS, BOX OF 24 |

Heavy Duty Shoulder Studs

Loader, Tractor, Fork Lift, Articulated Truck, Forestry, Mining

| Part No. | Description |
|----------|------------------------------------|
| SS-50200 | 2"-50MM SHOULDER STUDS, BOX OF 200 |
| SS-50100 | 2"-50MM SHOULDER STUDS, BOX OF 100 |

Loader, Tractor, Fork Lift, Articulated Truck, Forestry, Mining

| Part No. | Description |
|----------|--|
| SS-40200 | 1"9/16-40MM SHOULDER STUDS, BOX OF 200 |
| SS-40100 | 1"9/16-40MM SHOULDER STUDS, BOX OF 100 |

Loader, Tractor, Fork Lift, Articulated Truck, Forestry, Mining

| Part No. | Description |
|----------|---------------------------------------|
| SS-30200 | 1"1/8-30MM SHOULDER STUDS, BOX OF 200 |
| SS-30100 | 1"1/8-30MM SHOULDER STUDS, BOX OF 100 |

Work & Fishing Boots

| Part No. | Description |
|----------|---------------------------------------|
| SS-11200 | 7/16"-11MM SHOULDER STUDS, BOX OF 200 |
| SS-11150 | 7/16"-11MM SHOULDER STUDS, BOX OF 150 |
| SS-11100 | 7/16"-11MM SHOULDER STUDS, BOX OF 100 |
| SS-1124 | 7/16"-11MM SHOULDER STUDS, BOX OF 24 |

Work Boots, Shoes, Running Shoes & Bicycles

| Part No. | Description |
|----------|---------------------------------------|
| SS-08200 | 5/16"-08MM SHOULDER STUDS, BOX OF 200 |
| SS-08150 | 5/16"-08MM SHOULDER STUDS, BOX OF 150 |
| SS-08100 | 5/16"-08MM SHOULDER STUDS, BOX OF 100 |
| SS-0824 | 5/16"-08MM SHOULDER STUDS, BOX OF 24 |

Loader, Tractor, Fork Lift, Articulated Truck, Forestry, Mining

| Part No. | Description |
|----------|------------------------------------|
| SS-25200 | 1"-25MM SHOULDER STUDS, BOX OF 200 |
| SS-25100 | 1"-25MM SHOULDER STUDS, BOX OF 100 |

Tractor, Grader, Forestry and Military Vehicles, Loader, Skid Steer

| Part No. | Description |
|----------|--------------------------------------|
| SS-18200 | 3/4"-18MM SHOULDER STUDS, BOX OF 200 |
| SS-18150 | 3/4"-18MM SHOULDER STUDS, BOX OF 150 |
| SS-18100 | 3/4"-18MM SHOULDER STUDS, BOX OF 100 |

Tractor, Grader, Forestry and Military Vehicles, Compact Loader

| Part No. | Description |
|----------|--------------------------------------|
| SS-15200 | 5/8"-15MM SHOULDER STUDS, BOX OF 200 |
| SS-15150 | 5/8"-15MM SHOULDER STUDS, BOX OF 150 |
| SS-15100 | 5/8"-15MM SHOULDER STUDS, BOX OF 100 |

Heavy Duty Tire Pressure Gauge

77700-08991

- Steel case with polished brass bezel and 2" dial
- Fully geared brass movement
- 0-60 PSI
- 10" extension hose for tough to reach valve stems



Pencil Tire Gauge

77700-02468

- For use with air service only
- Reads from 5 to 45 PSI
- Easy-to-read, four sided nylon scale is in 2 PSI increments



Dial Tire Gauges

- Steel case with polished brass bezel and 2" dial
- Full geared, precision movement with bronze bourdon tube
- Not affected by changes in temperature, humidity or altitude



| Part No. | PSI Range |
|-------------|-----------|
| 77700-03676 | 0-30 |
| 77700-02469 | 0-100 |

Bolt Gauges

Metric 77700-08593

SAE 77700-08594

- Convenient gauges to accurately measure the diameter, length and thread pitch of your fasteners

NEW

77700-08593 (Metric)



77700-08594 (SAE)

SAFETY PRODUCTS

Uncorded Disposable Foam Ear Plugs

77700-10716

- Noise Reduction Rating (NRR) 33 decibels
- Extremely soft for comfortable fit
- Low pressure, bell shape
- PVC free plugs
- ANSI specs 53.19-1974
- 50 pairs in convenient resealable bag



NEW

Wheel Spinner

77700-10674

- Heavy duty spinner with ergonomic grip
- Vinyl coating for lasting durability
- Easily turn/steer your tractor, mower, RTV and other equipment
- Attaches to steering wheels up to 1-1/4" thick
- 12 piece display box



NEW



Deluxe Wheel Spinner

77700-01540

- For effortless turning of tractors and other off-road equipment
- Clamp securely grips all wheels up to 1-1/4" thick
- Comfortable ergonomic handle with smooth spinning design
- Split base design for easy mounting



First Aid Kit

77700-02459

- 65 piece kit
- Rust-proof, durable polypropylene case
- Fits in vehicle glove box or can easily be wall-mounted
- Inner gasket seals out moisture so contents stay dry and ready to use

Slow Moving Vehicle Signs

- 14"H x 16"W, made with high-intensity, micro-prismatic reflective and fluorescent materials
- ASAE (S276.6) approved and State of Illinois compliant
- Complete, easy to install hardware kit available for mounting (77700-03391—purchase separately)



| Part No. | Material | Thickness |
|-------------|--------------|-----------|
| 77700-03388 | Aluminum | .04" |
| 77700-03389 | Plastic | .80" |
| 77700-03390 | Adhesive | - |
| 77700-03391 | Mounting Kit | - |

Hard Hats

- Unique, smooth crown protects from the danger of falling objects
- Convenient rear-located mechanism used to adjust the head size for comfort
- 360° removable, perforated and padded sweatband that keeps you cool
- SEI certified to meet ANSI Z89.1-2003 Type 1, Class E, G or C



77700-05367C



77700-05374C

| Part No. | Description |
|--------------|-------------------------|
| 77700-05367C | Orange with CE imprint |
| 77700-05374C | Orange with Oval K logo |

Heavy Duty Mechanic's Gloves

- Reinforced palm patches for extra protection
- Silicone anti-slip fingertips for extra grip
- TPR back of finger protection against impact & pinches
- Adjustable wrist tab keeps out dirt



| Part No. | Size |
|-------------|---------|
| 77700-07910 | Medium |
| 77700-07911 | Large |
| 77700-07912 | X-Large |

Touchscreen Mechanic's Gloves

- Touchscreen fingertips
- Durable palm is protective and long lasting
- Padded palm reduces fatigue
- Adjustable wrist tab keeps out dirt



| Part No. | Size |
|-------------|---------|
| 77700-07907 | Medium |
| 77700-07908 | Large |
| 77700-07909 | X-Large |

Winter Lined & Waterproof Touchscreen Gloves



- Waterproof & breathable lining keeps out moisture
- Touchscreen fingertips

- 3M Thinsulate lining keeps hands warm
- Durable palm is protective and long lasting

| Part No. | Size |
|-------------|---------|
| 77700-07913 | Large |
| 77700-07914 | X-Large |

Mechanics Gloves

- Durable synthetic leather palm
- Breathable form-fitting spandex back
- Slip-on style cuff for easy on, easy off
- Comfortable shirred elastic on front and back
- Machine wash, air dry



| Part No. | Size |
|-------------|-----------------------|
| 77700-03154 | Medium |
| 77700-03155 | Large |
| 77700-03156 | X-Large |
| 77700-03646 | Women's Medium (Pink) |



77700-03646

Powder-Free 6 mil Nitrile Gloves

- Breakthrough pH5.5 technology made to match healthy skins natural pH5.5 levels to ensure the most comfortable fit yet
 - Unique formulation reduces excess perspiration
 - Quadruple washed—no excess chemicals lingering on glove
- Super strength and stretch—no more tearing
- Fully textured grip



| Part No. | Description |
|-------------|-----------------------------|
| 77700-04747 | Orange Lightning - Medium |
| 77700-04771 | Orange Lightning - Large |
| 77700-04772 | Orange Lightning - X-Large |
| 77700-04773 | Orange Lightning - XX-Large |
| 77700-04746 | Black Lightning - Medium |
| 77700-04497 | Black Lightning - Large |
| 77700-04498 | Black Lightning - X-Large |
| 77700-04499 | Black Lightning - XX-Large |

Suede Lined Work Gloves

- Super comfortable lined suede cowhide leather gloves
- Plush lining keeps your hands warm on cold days
- Self-hemmed with shirred elastic back for fit and great durability



| Part No. | Size |
|-------------|---------|
| 77700-02464 | Large |
| 77700-02465 | X-Large |

Water Repellent Leather Work Gloves

- Improved gloves now resist water and moisture
- Comfortable, rugged protection
- Soft-tanned cowhide grain leather
- Tailored keystone thumb for greater flexibility
- Shirred elastic back stitching for best fit

IMPROVED



| Part No. | Size |
|-------------|----------------|
| 77700-02461 | Women's Medium |
| 77700-02462 | Men's Large |
| 77700-02463 | Men's X-Large |

Leather/Canvas Gloves

77700-02466

- Suede cowhide leather fingertips, palm and knuckle strap
- Elastic back and rubberized safety cuff
- One size fits all





40 Gallon Trailer Sprayer

77700-08962

- Heavy duty frame
- 5 nozzle boom
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Heavy duty wand clips
- Adjustable relief with gauge
- 3 piece folding adjustable boom
- Wide tires



25 Gallon RTV Sprayer

77700-08963

- 3 nozzle boomless spray pattern allows for 140" of coverage
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge



40 Gallon All Makes Hitch Mount Sprayer

77700-08964

- Unique 2" receiver mount boom provides 300° of adjustability
- 7 nozzle breakaway boom coverage up to 140"
- Nozzles include check valve
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge

Sprayer Boom

77700-09601

- Sprayer boom for Kubota 40 gallon sprayer
- Compatible with many other sprayers!

NEW



Portable Sprayers

- Handle action piston pump
- Large mouth for easy filling
- Single conical spray tip
- Pressure relief valve
- 8L (77700-03398) features a 23" trigger lance with an ergonomic handle and easy-to-use spot spray wand



| Part No. | Capacity | Max. PSI |
|-------------|--------------|----------|
| 77700-03397 | 0.53 Gallons | 10 |
| 77700-03398 | 2.1 Gallons | 43 |

Backpack Sprayer

77700-03399

- 4.25 gallons (16 liters)
- Develops 15-90 PSI
- Quick fitting harness and padded straps
- 4 spray tips
- Wide-mouth lid
- Lever action piston pump
- Available spare parts kit
- Quality seals and built-in screens
- Lance clip and carry handle
- Ideal for insecticides, fertilizers, herbicides and disinfectants



60 Gallon 3-Point Sprayer

77700-08965

- 6 roller pumps with torque arm and quick coupler
- 7 nozzle breakaway boom
- Nozzles include check valve and quick caps
 - Heavy duty frame with skid plates
 - Chemically-resistant polyethylene tank
- 100 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge
- Forward mounted on/off valve with protected gauge and plumbing

Spot Sprayer

77700-03500

- 15 gallons (57 liters)
- 12 volt pump spot sprayer
- Polyethylene tank with mold-in drain with cap
- Trigger gun with adjustable nozzle
- 15 feet of 3/8" hose
- 5" screw-on lid with tether
- Adjusts from fine mist to solid stream
- Ideal for insecticides, fertilizers, herbicides and disinfectants
- Applications include ranch/farm, weed and insect control, livestock and trees/shrubs



Ultimate Rack

77700-08997 Please order this item under the DDS order tab

- The BIGTOOLRACK® tractor attachment adds valuable cargo space
- Ideal mobile storage system...no more running back to the tool shed
- Haul your tools and supplies safely and secure to your worksite
- Easy and convenient 3 point hitch attachment, and trailer tow feature plus quick-hitch compatible
- Heavy duty wheels for easy rolling and storing
- Heavy duty steel construction with durable powder coat finish
- Maximum cargo capacity of 600 lbs.
- Active tailgate
- Will give your tractor ballast
- Rack Dimensions: L: 54" x W: 35.5" x H: 45.75"
- This beast hauls it all!

✓ **Landscaping**

✓ **Fencing**

✓ **Farm/Ranch**

✓ **Firewood**

✓ **Trash/Cleanup**

“ The **BEST** attachment I may have purchased for my Kubota L3901 tractor! **”**

Lonnie in MO



“ The best attachment I have gotten for my Kubota BX23s is the BIGTOOLRACK, it's like a portable workshop. You can load it up, take it to where you are working and then leave it there - or detach it and leave it in the barn (moving it around on the wheels, no problem). The back tailgate folds down giving you a workbench. Being able to lower it down for loading and unloading and then raising it for transport is huge. **”**

Jeff in MD

“ There's no doubt that this is one of the most valuable pieces of tractor equipment I have. I recommend it every chance I get... **”**

Todd in VA

NEW

Chainsaw Holder

77700-10738

- Secures your chainsaw out of the way to allow full use of your cargo area
- Includes holder and all mounting hardware



NEW

Grass Trimmer Kit Classic

77700-10739

- Secure your grass trimmer, pole saw or any other long handle tool with this system
- Includes two holders, four rubber straps and all mounting hardware



Universal Tool Holder

77700-10740

- Secure your large handle hand tools with this rubber strap tool holder
- Includes one bracket, one rubber strap and all mounting hardware



NEW

Four Hole Tool Holder

77700-10741

- Easily slide four long-handled tools in this holder
- The BIGTOOLRACK has predetermined holes in the rack to allow you to add multiple holders
- Includes holder and all mounting hardware



NEW

RopsRackPack® **NEW**

- Attaches quickly and easily to your tractor or zero turn mower — no drilling, no hardware
- Safely and securely transport landscape tools, power equipment, supplies and more to your worksite
- Made from heavy duty, ballistic nylon with an industrial strength hook/loop closure
- Attaches to your existing rollbar
- Includes: 1 - Anchor Sleeve, 2 - Side Sleeves, 2 - Straps, 2 - 24" Twist Ties

| Part No. | Description |
|-------------|--|
| 77700-10695 | Fits all Kubota Tractors, ZD Series Mowers, Z100 Series Mowers |
| 77700-10696 | Fits all Kubota Z400 Series and Z700 Series Zero Turn Mowers |



Work Gear Bag **NEW**

77700-10694

- Made from heavy duty, ballistic nylon
- Easily and quickly attaches to your Kubota RTV or Kubota stand-on mower
- Includes strap kit to attach to your RopsRackPack® and buckles to attach to your Ultimate Rack
- GearBag is 18" long x 4" wide x 11" tall




18 oz. Quick Fill Portable Fuel Bottle

77700-10697

- Convenient 18 oz. bottle for quick refill of gas powered lawn tools & equipment
- Spill-proof—no caps to unscrew
- Self-venting / auto shut-off

NEW



GearTie® Loopable MEGA Reusable Twist Tie - Black 32"

77700-10782

- Allows you to tie and secure a long handle tool and countless other items

NEW



10" S-Biner® Dual Carabiner

77700-10783

- Allows you to hang your trimmer, leaf blower and other large items

NEW



41" 8 Drawer Top Chest

77700-10691

41" 11 Drawer Roller Cabinet

77700-10692

41" Top Chest & Roller Cabinet Combo

77700-10693

- Heavy duty 14 gauge steel frame and 18 gauge steel sides with four 6" x 2" mag wheel casters (two lockable swivels and two rigid)
- Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides

| Part No. | Width | Depth | Height |
|-------------|---------|-------|---------|
| 77700-10691 | 41" | 25" | 21-3/8" |
| 77700-10692 | 41-1/2" | 25" | 40-1/2" |

IMPROVED



CUSTOMIZE YOUR TOOLBOX!

NEW

41" Top Chest & Roller Cabinet Combo with Magnetic Decals

- Comes complete with Top Chest, Roller Cabinet and Magnetic Decal Set!

| Part No. | Decal Design |
|-------------|--------------------|
| 77700-10742 | RTV |
| 77700-10743 | Tractor |
| 77700-10744 | SVL / Construction |



NEW

41" Cabinet Magnetic Decal Kits


- Heavy duty and strong holding flexible magnetic strips
- Superb image quality with UV protection
- Performs well in all weather, and in temperatures from -15° F to 160° F



77700-10688



77700-10689



77700-10690

| Part No. | Decal Design |
|-------------|--------------------|
| 77700-10688 | Tractor |
| 77700-10689 | RTV |
| 77700-10690 | SVL / Construction |

CARGO & TOOL STORAGE

Deluxe RTV Cargo Box

77700-08760

- Requires two pairs of KAS Clamps (K7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
- Kubota engineering designed and approved
- Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
- Tough and durable polyethylene construction resists corrosion, water and dust
- Lockable latches to secure your cargo
- Easy-to-lift covers with lock in detents providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Fits RTV-X900, RTV-X1100, RTV-X1120, RTV-X1140 and RTV-XG850



K7811-99560, must be ordered separately



36" Professional 5 Drawer Extra Capacity Service Box

77700-06140

- Outer dimensions: 36"W x 25.5"D x 29"H
- 16/18 gauge steel construction with specially engineered frame and handles that make it easy to slide and move service box
- 5 big reinforced drawers with quiet ride foam liners:
2 deep (30.84"W x 20"D x 4.5"H) and 3 standard size drawers (30.84"W x 20"D x 2.125"H)



30" RTV Road Box

77700-03643

- 30.75"W x 20"D x 20.5"H—fits all Kubota RTV's
- Heavy duty 18 gauge steel construction with welded seams
- Power tool rack with built-in 3 outlet/2 USB power strip
- Organizes all of your essential tools: 35 combination wrench pegs, 48 screwdriver/nut driver slots/holder, 186 - 1/4", 3/8" & 1/2" deep and standard socket pegs (SAE & metric) with room for some impact sockets
- Under socket panel: shelf for smaller tools, power tool rack with built-in power strip and 2 USB ports, additional storage space for small tools
- Lockable lid secures tools in place when closed



Tools not included



20" Traditional Steel Hand Box with Tray

77700-03642

- 20"W x 8"D x 9"H
- Durable metal construction with powder coat finish and ergonomic handle

NEW

Heavy Duty Parts Bins

- Organize parts, inventories, shorten repair times and minimize parts handling
- Heavy-duty bins securely stack atop each other, sit on shelving and hang from racks, panels, rails and carts
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Molded of high-impact polypropylene, these bins are unaffected by weak acids and alkalis
- Guaranteed not to crack or break under normal load conditions as stated in the 1-year limited warranty



Pins not included

| Part No. | Description | L x W x H | Pieces | Color |
|-------------|-------------|---------------------|--------|-------|
| 77700-10785 | Storage Bin | 14.75" x 5.5" x 5" | 12 | Black |
| 77700-10786 | Storage Bin | 14.75" x 5.5" x 5" | 12 | Clear |
| 77700-10787 | Storage Bin | 14.75" x 8.25" x 7" | 12 | Black |
| 77700-10788 | Storage Bin | 14.75" x 16.5" x 7" | 6 | Black |
| 77700-10789 | Bin Divider | 5.5" x 5" | 6 | Black |
| 77700-10790 | Bin Divider | 8.25" x 16.5" x 7" | 6 | Black |



PRESSURE WASHERS



Selecting the right machine that fits you and the jobs you need to get done.

The Kubota pressure washer product line offers a high level of productivity with rugged designs that are engineered to meet the needs of the most demanding users.

Built to withstand the rigors of the toughest jobs—careful consideration has been given in selecting each component. Every product design is crafted and calibrated to deliver the durability and reliability you expect.

- Residential:** 1-2 hours weekly duty—10 to 20 weeks per year. Ideal for lighter duty work, for example, residential cleaning tasks, automotive, all-terrain vehicle, lawn mowers, recreational vehicle, etc.
- Commercial:** 5-15 hours weekly duty—50 weeks per year. Designed for light to medium duty work on the farm, in a mechanical workshop, or small business.
- Industrial:** 15-20 hours weekly duty—50 weeks per year. Designed for heavy duty work, like cleaning fleet of trucks, farm buildings, heavy equipment, industry, car wash, cleaning contractor.
- Target Markets:** Each icon identifies the target use for each model of pressure washer.



Residential



Automotive



Truck



Agricultural



Weed Killer



Sanitary



Industry



**Heavy
Equipment**



Rental



Contractor

Please order all pressure washers items under the DDS order tab

Durable & Maneuverable Power

The roll cage design protects all the critical components and ensures the machine is easy to handle and store. A durable powder coated frame with fold down handle make it easy to strap into a pick up or utility vehicle.


S.S.C.

Automatic Start
& Stop Control
Temporized

JET2536E Electric

77700-06379



- This quiet powerful electric cold water pressure washer is specifically designed for commercial industrial application.
- Featuring automatic start/stop control system (SSC) combined with low rpm industrial motor that extends the longevity of the pump and components

| | | | |
|-------------------------------|---------|-----------------------|---------|
| Electric motor..... | 5.75 HP | GPM | 3.6 |
| Volts | 240 | Impact Force | 9.5 lb |
| Phase | 1 | Hose | 50 feet |
| Amperes | 24 | Nozzle Orifice..... | 0.45 |
| rpm..... | 1750 | Electrical cord | 23 feet |
| Comet pump. . .RW, crankshaft | | Weight | 200 lb |
| PSI..... | 2500 | | |

JET3500

77700-05676



- A reliable commercial gas powered machine perfect for cleaning construction/agriculture equipment, buildings, vehicles and operations

| | | | |
|--------------------|------------|---------------------------|---------|
| Engine | EX 40 | Oil Alert Protection..... | Yes |
| Comet pump..... | Crankshaft | Thermal Protection..... | Yes |
| RPM | 3450 | Hose | 50 feet |
| PSI..... | 3500 | Nozzle Orifice..... | 0.40 |
| GPM | 4 | Weight | 154 lb |
| Impact Force | 12.4 lb | | |



JET Series Standard Equipment

- Durable roll cage frame with 10" tires
- Triplex direct drive pump with 3 ceramic plungers
- Hose with quick disconnect couplers
- Soap injection with regulator
- Spray gun with 36" insulated wand
- 4 quick disconnect spray tips, rinse: 15, 25 & 40°, soap: 65°



Handle Safety Lock



Folding Handle

GEYSER SERIES

Geyser G2132G

72000-02750



- Cleans up to 50% faster than cold water units
- Rear swivel 10" wheels, featuring locking brake hub
- Never flat rubber tires with ball bearing wheels provide a low roll resistance, making it easy to maneuver the machine
- Centralized lifting hook ensures the unit is perfectly balanced when loading
- The engine is calibrated at 3,450 RPM to run in harmony with the direct drive ceramic plunger crankshaft pump



| | |
|-------------------------|----------------|
| Engine | EX21 Subaru |
| Electric Start | N/A |
| Charging System | 200 W |
| 12 V Battery | Yes |
| Comet Pump. | LWD Crankshaft |
| PSI | 2100 |
| GPM | 3.2 |
| Impact Force | 7.7 lb |
| Thermal Protector | Yes |
| Btu/h | 320,000 |
| Hose | 50 ft |
| Nozzle Orifice | 04.5 |
| Weight | 372 lbs |

Geyser GD3535G

77700-06100



- Functional industrial frame design mounted on low roll resistance 10" ball bearing wheels with never flat tires
- Rear swivel 10" tires with brake—easy to maneuver
- Centralized lifting hook
- Comet ceramic plunger direct drive crankshaft pump, calibrated with motor at 3,450 RPM
- Soap injection in pressure washer mode
- 100-mesh filter at pump inlet
- 140°F pump thermal protector

Pressure Washer Mode Weed Killer Mode

| | | |
|-------------------------|----------------|----------------|
| Engine | EX40 Subaru | EX40 Subaru |
| Electric Start | Yes | Yes |
| Charging System | 200 W | 200 W |
| 12 V Battery | Yes | Yes |
| Thermostat | Yes | Yes |
| Comet Pump. | ZWD Crankshaft | ZWD Crankshaft |
| PSI | 3,500 | 350 |
| GPM | 3.5 | 3.0 |
| Impact Force | 10.9 lb | - |
| Thermal Protector | Yes | Yes |
| Btu/h | 350,000 | 350,000 |
| Hose | 50 ft | 50 ft |
| Nozzle Orifice | 03.5 | 30 |

- Pressure gauge for pressure washer mode
- Pressure gauge for weed killer mode with pressure regulator
- Thermometer at heating coil outlet
- Spray gun and 44" totally insulated wand
- Four quick disconnect spray tips for pressure washing: rinse at 15°, 25° and 40°, soap at 65°
- One quick disconnect 2" standard tool for weed killing

Standard Components Include:

- Manual Hose Reel (77700-06102)
- Storage Compartment (77700-06103)

Geyser Series Optional Equipment

Storage Compartment

77700-06103

- Storage compartment for nozzles and personal protection equipment



Hose Reel

77700-06102

- Durable industrial hose reel can accommodate up to 200'



Two durable machines built to meet your project needs.

CAGE Extra-Duty

77700-03318



- The extra-duty series is built to work on tough commercial jobs. Featuring durable precision ceramic triplex pump featuring:
 - Anodized aluminum die cast crankcase direct drive pump with three ceramic plungers highly resistant to corrosion and abrasion
 - Forged brass head—highly mechanical resistant to corrosion
 - Internal kinematics—high quality oversized bearings that ensure long durability
- Exclusive—self-lubricating double packing system design provides exceptional packing life
- Adjustable unloader—detergent injector



Wheel kit shown is optional

| | | | |
|--------------------|----------------------|----------------------------|---------|
| Engine | EX 17 | Oil Alert Protection | Yes |
| Pump | Direct Drive Triplex | Thermal Protection..... | Yes |
| RPM | 3,450 | Hose | 25 feet |
| PSI | 2,500 | Nozzle Orifice..... | 0.30 |
| GPM | 2.7 | Weight | 70 lb |
| Impact Force | 7.1 lb | | |



CAGE Tough Duty

77700-05675



- Ideal for residential to light duty commercial jobs, featuring performance axial pump that includes:
 - Built-in uniflow unloader and chemical injector
 - Built-in Easy Start
 - Stainless steel plungers and check valves
 - Forged brass manifold
 - Patented ball bearing design

| | | | |
|--------------------|--------|----------------------------|---------|
| Engine | SP 170 | Oil Alert Protection | N/A |
| Pump | Axial | Thermal Protection..... | N/A |
| RPM | 3,450 | Hose | 25 feet |
| PSI | 2,500 | Nozzle Orifice..... | 0.30 |
| GPM | 2.5 | Weight | 67 lb |
| Impact Force | 7.1 lb | | |

Optional Equipment

Portable Hose Reel

77700-05674

- Manual hose reel mounted on a ball-bearing mechanism
- Can be hooked directly on the CAGE frame
- Ergonomic carrying handle



Wheel/Handle Kit

77700-05767

- Simple and durable design
- Adapts quickly to existing frame—no need to drill holes
- Remains stackable
- Collapsible swivel handle folds in behind frame



THUNDER SERIES

Thunder MH2536EA240

72000-02751



- Powder coated frame featuring centralized lifting point
- S.S.C. - Automatic start/stop control system - temporized function protects the motor and pump
- Control panel with dual safety fuses (protects electrical components, one for the burner/one for the SSC system)
- Adjustable thermostat control (up to 302°F)
- Spray gun and 36" insulated wand
- 6,000 psi heavy duty non-marking grey hose.
- 4 quick disconnect spray tips, rinse: 15, 25 & 40°, soap: 65°


| | | | |
|---------------------|---------------|----------------------|---------|
| Electric Motor..... | 5.75 hp | GPM..... | 3.6 |
| Volts..... | 240 | Impact Force..... | 9.5 lb |
| Phase..... | 1 | Btu/h..... | 285,000 |
| Amperes..... | 24 | Hose..... | 50 ft |
| RPM..... | 1750 | Nozzle Orifice..... | .04.5 |
| Pump..... | RW Crankshaft | Electrical cord..... | .23 |
| PSI..... | 2500 | Weight..... | 430 lb |



S.S.C.

Automatic Start
& Stop Control
Temporized

Quiet powerful electric motor specifically design for industrial application.



Thunder MH3535G

77700-06104



- Old school machine that gets the job done
- Frame with protection cage on 4 x 10" tires
- Spray gun and 36" insulated wand
- 6,000 PSI heavy duty grey non-marking hose
- Four quick disconnect spray tips, rinse: 15°, 25° and 40°, soap: 65°

Water Heater Features

- Oil-fired burner
- 37 litre polyethylene oil tank with level indicator
- Adjustable temperature by thermostat up to 302°F
- Battery included

| | | | |
|---------------------------|----------------------|------------------------|---------|
| Engine..... | EX40 | PSI..... | 3,500 |
| Electric Start..... | Yes | GPM..... | 3.5 |
| RPM..... | 3,450 | Impact Force..... | 10.9 lb |
| Oil Alert Protection..... | Yes | Thermal Protector..... | Yes |
| Charging System..... | 200 W | Btu/h..... | 320,000 |
| 12 V Battery..... | Yes | Hose..... | 50 ft |
| Thermostat Control..... | Yes | Nozzle Orifice..... | .03.5 |
| Pump..... | Direct Drive Triplex | Weight..... | 426 lb |



Optional Manual Hose Reel

72000-02763

- Design to fit on Thunder series models. Capacity up to 200' of 3/8" hose
- Includes :** manual hose reel, quick couplers, reel bracket, nuts, pump protective shield (installed by the dealer)

Foamer with Integrated Tank

77700-05696

- 2,500–3,000 PSI FKI foamer kit (ideal for use with CAGE & G2535G models only)
- Connects to gun outlet



Chemical Soap Injection Bottle

72000-02762

- Capacity : 4 liters
- Includes mounting bracket and feed tube



Rotary Nozzle with Quick Connect

- Heavy duty brass body and plastic casing
- Increases productivity and cleaning efficiency
- Nozzle and ceramic seat for high impact resistance
- Rated from 1,150–3,650 PSI



| Part No. | Orifice | Application | Model |
|-------------|---------|--------------------------------------|----------------------|
| 77700-05689 | 03.5 | 3,650 psi cold water | CAGE system |
| 77700-05690 | 04.0 | 3,650 psi cold water | JET3500 |
| 72000-02757 | 04.5 | 3,650 psi cold water | JET2536EA |
| 72000-02758 | 04.0 | 3,650 psi hot water w/in line filter | GD3535G - MH3535G |
| 72000-02759 | 04.5 | 3,650 psi hot water w/in line filter | G2132G - MH2536EA240 |

| Part No. | Length | Max. PSI | Color |
|-------------|--------|----------|-------|
| 77700-05677 | 25' | 3,000 | Black |
| 77700-05678 | 35' | 3,000 | Black |
| 77700-05679 | 50' | 3,000 | Blue |
| 77700-05680 | 75' | 3,000 | Blue |
| 77700-05681 | 100' | 6,000 | Grey |

Steel Braided 1-Ply Pressure Washer Hoses

- 3/8" MNPT
- Includes quick connect fittings with quick connect couplers
- 250°F max. temperature



Steel Braided 2-Ply Pressure Washer Hoses

- 3/8" MNPT
- Includes quick threaded fittings
- 250°F max. temperature



| Part No. | Length | Max. PSI | Color |
|-------------|--------|----------|-------|
| 77700-05682 | 50' | 6,000 | Grey |
| 72000-02754 | 75' | 6,000 | Grey |
| 77700-05683 | 100' | 6,000 | Grey |
| 72000-02755 | 150' | 6,000 | Grey |
| 72000-02756 | 200' | 6,000 | Grey |

Linear Flat Surface Cleaner



77700-05691

- 16" cleaning width
- 4,000 PSI max.
- 4.3 GPM max.



72000-02757

- 12" cleaning width
- 3,100 PSI max.
- 3 GPM max.

Rotary Flat Surface Cleaner

77700-05692

- 16" rotating surface cleaner
- Polyethylene drum
- 4,000 PSI max.
- 8 GPM max.
- 2 # 25025 tips



Telescopic Boom

77700-05693

- 18' fibre telescopic wand
- Rated to 4,000 PSI max.
- 8 GPM max.
- Adjustable from 6' to 18'



Boom Harness

72000-02761

- Recommended for use with telescopic boom—reduces operator fatigue



Gutter Cleaner

77700-05694

- Gutter cleaner attachment



Industrial Spray Gun for Cold Water


- Industrial quality with comfortable grip
- Part no. 77700-05687 includes dual lance for rinsing and quick connect fittings



| Part No. | Wand | PSI | GPM |
|-------------|----------------|-------|------|
| 77700-05684 | 36" | 2,750 | 7 |
| 77700-05685 | 36" | 5,000 | 10.4 |
| 77700-05687 | 38" Dual Lance | 5,000 | 10.4 |

Industrial Spray Gun for Hot Water

- Industrial quality with comfortable grip
- 300°F



| Part No. | Wand | PSI | GPM |
|-------------|----------------|-------|------|
| 77700-05686 | 36" | 5,000 | 10.4 |
| 77700-05688 | 38" Dual Lance | 5,000 | 10.4 |

ShockStrap® Load-Absorbing Ratchet Straps

NEW

- **Dependable** - a ShockStrap® provides superior shock absorption without coming loose—keeps tension on the strap
- **Safety Strap** - a backup strap in case the ShockStrap® is compromised
- **Durable** - made from our proprietary formula that is not affected by most chemicals, sunlight, oil, salt water, fungus or moisture
- **Rust Resistant** - hooks and buckle are yellow zinc coated, which lasts 8 to 10 times longer than chrome plating
- **Soft Loop** - flexibility to always find a way to secure your load

| Item No. | L x W | Break Strength | Work Load |
|-------------|----------|----------------|------------|
| 77700-10680 | 9' x 2" | 6,000 lbs. | 2,000 lbs. |
| 77700-10681 | 18' x 2" | 6,000 lbs. | 2,000 lbs. |



Deluxe RTV Cargo Box

77700-08760

- Requires two pairs of KAS Clamps (K7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
- Kubota engineering designed and approved
- Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
- Tough and durable polyethylene construction resists corrosion, water and dust
- Lockable latches to secure your cargo
- Easy-to-lift covers with lock in detents providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Fits RTV-X900, RTV-X1100, RTV-X1120, RTV-X1140 and RTV-XG850



K7811-99560, must be ordered separately



Fire Extinguisher Mount

77700-10709

- Secures fire extinguishers up to 3.5" in diameter
- Universal design mounts to round tube roll cages up to 2.25"
- Patented low-profile mounting
- Adjustable clamps secure most fire extinguishers
- Fire extinguisher not included

NEW



Sideview Mirror

77700-10706

- Huge field of view
- Universal mounting
- Dual axis breakaway
- Three-way adjustment
- Adjustable blindspot mirror
- Anti-vibration technology
- Fits 1.25" to 2" roll cages
- Fits left or right side
- Easily return mirror to your preset position each time it breaks away for consistent viewing alignment

NEW



NEW



Safety Dust Mask



Bandana Style Dust Mask



Neoprene Dust Mask

Dust Masks

- Washable and reusable
- Improved design provides maximum comfort
- No replacement filters needed
- Compatible with open and closed face helmets and goggles

| Item No. | Description |
|-------------|-------------------------------|
| 77700-10710 | Universal Safety Dust Mask |
| 77700-10711 | XL Safety Dust Mask |
| 77700-10712 | Camo Safety Dust Mask |
| 77700-10713 | Neoprene Dust Mask |
| 77700-10714 | Red Bandana Style Dust Mask |
| 77700-10715 | Black Bandana Style Dust Mask |



Radio

W21UA-MS003 & W21UA-MS006

- Heavy-duty radio for use on agricultural tractors
- AM/FM tuner
- Removable coloured front panel with LCD
- Integrated Bluetooth® with front microphone (additional port included)
- iPod/iPhone-ready via front USB
- Maximum wattage output (4 x 45W)
- CD/MP3/Windows Media Audio-ready
- Port for SD card
- AUX-IN port



W21UA-MS003



W21UA-MS006

Non-binding visuals



Steering Wheel Knob

W21TS-08689

- This steering wheel knob fits directly onto the steering wheel branch no modifications required
- This accessory ensures a better grasp; it facilitates operation, especially when using the loader, or when operating the K-monitor

Car Mat

Rubber W21PS-G0006

Fabric W21PS-G0007

- Rubber car mat (1)
 - Resists heavy traffic, spills and chemical burns
 - Customized shape for perfect fit on cabin floor
 - Metallic Kubota plate (3.9") screwed into front of mat
 - Clean with high pressure water jet
- Fabric car mat (2)
 - Resists heavy traffic
 - Customized shape for perfect fit on cabin floor
 - Kubota logo (9.8") stitching at edge of mat near cabin threshold



W21PS-G0865



W21PS-G0748

Passenger Seat Cover

W21PS-G0865 & W21PS-G0748

- Fitted passenger seat cover for dirty and unsanitary environments
- 2 models:
 - Synthetic black and orange leather
 - Synthetic black leather with orange topstitching

Operator's Seat Cover

W21PS-G0048 / W21PS-G0065 / W21PS-G0050

- Fitted seat cover to protect the original upholstery from dust and dirt
- Perfectly fitted to the seat shape, this cover offers premium seat protection without compromising comfort
- 3 models:
 - Synthetic black leather with orange topstitching
 - Synthetic leather with orange leather
 - Black fabric with reinforced synthetic leather
- Optional customized embroidered seat cover (contact Parts Department)
- Made to fit GRAMMER MSG95AL/721 and MSG97AL/731 seat



W21PS-G0048



W21PS-G0065



W21PS-G0050



NEW

1:64

COLLECTIBLE



Kubota On-Tour Truck

7200003905



- Durable die cast construction with molded components
- High quality painted finish and logos, a true classic that you will want for your collection
- Movable rubber tires
- Cab disconnects from the trailer
- Rear door lifts up and into the trailer
- Cab is a licensed replica of a Peterbilt 387 model

M7-171 Collectible Tractors

77700-06484

With Loader 77700-06485

With Dual Rear Tires 77700-06486

With Front Weight 7200002748

- A true classic you will want for your collection
- Rugged die cast construction for lasting value and durability
- Movable rubber tires
- High quality painted finish and logo



77700-06485

1:32

COLLECTIBLE



77700-06484



77700-06486



7200002748



1:16

COLLECTIBLE



L200 Serialized Die Cast

77700-05571

- Highly detailed model of the first and original L200 Kubota tractor sold in America
- **Limited Edition**—2,500 units, each featuring an engraved, numbered brass plate
- Authentic tire tread design
- Sturdy die cast construction will retain its durability and great looks for years to come



M5-111 Tractor

77700-06464

- Striking detail and scale accuracy inside and out
- Rugged die cast construction for lasting value and durability
- Fully functional front bucket loader
- Movable rubber tires



M135GX Tractors

77700-04495

- A must-have addition to your collection
- Extremely detailed inside and outside, down to the cab interior
- High quality, rugged die cast construction
- Movable rubber tires



M9960 Tractors

77700-06161

With Loader 77700-06196

- Die cast construction for years of lasting durability
- Intricate, accurate detail includes rear hitch for farm implement attachment
- High quality painted finish and logos, a true classic that you will want for your collection
- Movable rubber tires



RTV-X1120 Utility Vehicle

77700-06466

- The popular RTV now available in a collectible!
- Rugged die cast construction with rubber movable wheels
- Accurate scale model with high quality detail and graphics
- Tilt up dump cargo box



DM2032 Disc Mower

77700-05698

- Durable die cast construction
- Accurate scale design with detailed features and graphics
- Three bladed discs like the real machine
- Mower can be folded to vertical position



BV5160 Baler

77700-05699

- Extreme detailing and high quality painted finish
- Durable die cast construction with molded components
- A must have for your collection
- Movable rubber tires



SSL Skid Steer

77700-06129

- Rugged die cast construction featuring intricate detail and finish
- Fully functioning bucket raises/lowers and tilts
- Movable rubber tires

R630 Wheel Loader

77700-06130

- Rugged die cast construction with highly detailed features and finish
- Fully functioning bucket loader raises/lowers and tilts
- Articulating front end pivots 80° just like the real tractor
- Movable treaded rubber tires



RA2071S Twin Rotary Rake

77700-05697

- Durable and rugged die cast, plastic and rubber construction
- A collectors model you will cherish, featuring intricate detail and finish
- Rotary rake assembly really does move 360°
- Movable rubber tires

RIDE-ON TOYS (3-7 YEARS)

NEW



M135GX Pedal Tractor

77700-10155

- Genuine pedal replica of the M135GX model
- Play as both gardener and farmer
- Equipped with a steering wheel with horn
- Guarantees hours of outdoor play activities
- Farm tractor wheels ensure traction on pavement, grass, dirt or gravel

M135GX Pedal Tractor with Trailer

77700-10156

- Genuine pedal replica of the M135GX model
- Easily attach the trailer with side panels
- Trailer allows the transport of sand, leaves, soil and stones
- Equipped with a steering wheel with horn
- Farm tractor wheels ensure traction on pavement, grass, dirt or gravel
- Your little one will enjoy time pretending to be a gardener and farmer!

NEW



M5-111 Pedal Tractor

77700-06374

- Get ready to ride your very own pedal tractor!
- Metal die cast pedal tractor styled after the classic M5-111 Kubota tractor
- Chain drive tractor—encourages kids to be active!
- Authentic Kubota graphics and colors
- Large rear tires provide easy traction and movement
- Full-function steering
- For the next generation of Kubota owners, ages 3 and up



M135GX Pedal Tractor with Loader and Trailer

77700-05538

- Durable molded plastic tractor with high quality detail and durable, bright finish
- Full control loader handle lets you scoop, carry and dump sand, gravel, dirt and more
- Comfortable bucket seat with back rest
- Tire treads provide traction on pavement, grass, gravel and dirt
- Use the matching, detachable trailer to deliver and load cargo to where it needs to go
- Kids will love this pedal tractor, whether they are pretending to be a construction worker or farmer!

M135GX Pedal Tractor with Front Loader & Rubber Tire Bands

77700-10164

- Genuine pedal replica of the M135GX model
- Equipped with an articulated front loader
- Transport leaves, sand and soil
- Play as both gardener and farmer
- Equipped with a steering wheel with horn
- Farm tractor wheels ensure traction on pavement, grass, dirt or gravel

NEW



NEW



2-Wheel Dumper Trailer

77700-10162

- Giant Kubota dumper trailer tips on two wheels
- Fits any Kubota ride-on tractor

(2-5 YEARS)

NEW



M7171 Pedal Tractor with Front Loader & Trailer

77700-10165

- Genuine pedal replica of the M7171 model
- Equipped with an articulated front loader
- Transport leaves, sand and soil in either the trailer or front loader
- Easily attach the trailer with side panels
- Equipped with a steering wheel with horn
- The bucket loader, trailer and rear shovel will keep your pint-sized construction worker busy for hours!

M7171 Pedal Tractor with Trailer

77700-10158

- Genuine pedal replica of the M7171 model
- Easily attach the trailer with side panels
- Transport of sand, leaves, soil and stones
- Equipped with a steering wheel with horn
- Stake sided trailer lets your little one load up sticks, leaves and more
- This pedal-powered tractor will entertain your little farmer for hours! A fun way to exercise and develop pedaling/riding skills.

NEW



NEW

2-Wheel Tanker Trailer


77700-10163

- Carry and pour up to 20 liters of water
- Equipped with spreader
- Perfect accessory to have fun all summer long

NEW



77700-10160



Included in
77700-10161

M7151 Push-Along Tractor

77700-10159

With Trailer 77700-10160

With Push Handle 77700-10161

- Genuine push-along replica of the M7151 model
- Allows your baby to develop balance and motor skills while having fun
- Easy to maneuver due to the directional handlebar
- Use inside or out
- Lightweight and durable materials
- Farm tractor wheels ensure traction on pavement, grass, dirt or gravel
- Equipped with removable trailer, easily added and detached (77700-10160 only)
- Use the push handle on walks as a gentle guide (77700-10161 only)



TRACTORS



M5-111 Farm Tractor with Front Loader

77700-10055

- Diecast chassis with plastic parts
- Fully functioning bucket loader raises/lowers and tilts
- Movable plastic wheels



Tractor & Wagon Set

77700-03892

- Durable molded construction
- Life-like detail and graphics
- Great for play, your collection or a gift!
- Enjoy hours of pretend fun and play with this durable Kubota farm toy
- Both the M5-111 tractor and wagon feature free moving tires

Truck & Tractor Set

77700-03894

- Durable molded construction
- Life-like detail and graphics
- Great for play or your collection
- Includes hay bales and crates containing corn, tomatoes and potatoes



M5-111 with Rake, Disc Mower & Hay Bale Trailer

77700-06293

- Durable molded construction
- Movable rubber wheels and rakes actually rotate
- Highly detailed with authentic Kubota logos and colors
- Buttons operate engine or horn sound effect and lights
- Includes one each: Kubota M5-111 Tractor, Baler, Trailed Mower Conditioner and Rotary Rake



Monster Tractor

77700-03895

- This Monster Tractor comes to life with the push of a button, activating flashing lights and realistic tractor sounds
- 3 "LR44" batteries included so the fun can start right away!
- Oversized tires for handling the toughest terrain
- Durable molded construction is tough enough for indoor or outdoor play



Pull Back...



Let it Go!



KX040-4

SSV65



KX040-4 & SSV65 Skid Steer Pull-Backs

KX040-4 77700-07904

SSV65 77700-06302

- Reverse-wind spring motor
- Movable boom with pivoting bucket
- Metal axle and wheels that turn (rotate)



RTV-X1120D



RTV-1140CPX

RTV-X1120D & RTV-1140CPX Pull-Back Utility Vehicles

RTV-X1120D Item No. 77700-06301

RTV-1140CPX Item No. 77700-07903

- Your little buddy will enjoy hours of fun with these rugged RTVs and their pull back and let go reverse-wind spring motor
- Durable molded plastic
- Metal axle and movable hard rubber tires
- Highly detailed to resemble the real RTVs



M5-111 Pull-Back Tractor

77700-06303

- Pull back and let go reverse-wind spring motor provides loads of fun for your little one!
- Movable front loader
- Metal axle and movable rubber tires



Z700 Pull-Back

77700-07902

- Reverse-wind spring motor
- Metal axle and wheels that turn (rotate)
- Hard rubber tires



R630 Pull-Back

77700-07901

- Reverse-wind spring motor
- Movable boom with pivoting bucket
- Metal axle and wheels that turn (rotate)

PRESCHOOL (18 MONTHS +)



My Lil' Orange Excavator & Wagon

77700-10778

- Authentic Kubota colors and graphics
- Bucket loader raises/lowers
- Movable plastic wheels on wagon and under tracks

My Lil' Orange Tractor & Wagon

77700-10779

- Authentic Kubota colors and graphics
- Movable plastic wheels

NEW



NEW



My Lil' Orange Tractor & Farm Animals

77700-10780

- Authentic Kubota colors and graphics
- Bucket loader raises/lowers
- Movable plastic wheels
- Horse and cow figures

My Lil' Orange SSV with Figure & Boulders

77700-10781

- Authentic Kubota colors and graphics
- Bucket loader raises/lowers
- Movable plastic wheels
- Plastic figure & boulders

NEW





RTV-X1120D Plush Toy

77700-05505

- Your child will adore the softness of this RTV Plush Toy
- 5.75" wide x 6.75" high x 8.5" long
- Brightly colored, machine washable material
- For ages 6 months to 8 years



KX080-4 Excavator

77700-03890

- Body rotates 360°
- Kids will dig this Excavator that features a fully functional boom arm with a pivoting bucket, detailed graphics and durable molded construction for endless fun in the rocks, sandbox, dirt and more!
- Movable rubber tracks
- Front blade moves up/down and left/right



SSV65 Skid Steer with Loader & Attachments

77700-06297

- Authentic engine and horn sound effects
- Fully functional arms with pivoting assembly that accepts attachments
- Hay bales included
- Movable rubber wheels and durable molded construction
- Realistic detail and graphics
- Interchangeable attachments include Bucket, Forks, Grapple Bucket & Auger



SVL90-2 Compact Track Loaders

77700-03891

- Moves like the real SVL90-2 with fully functional arms and pivoting bucket
- Durable molded construction for any job!
- Quality detail and graphics
- Movable rubber tracks

FARM & RANCH SETS



L6060 Tractor with Ranch Cows Playset

77700-08697

- Enjoy hours of fun playtime with the tractor featuring lights and sound, and the fully functioning bucket and backhoe
- Livestock corral with 7 detachable sections
- Includes: One each; L6060 Tractor, Hay Bale, Round Hay Feeder, Rake, Pitchfork, Shovel, Hoe, Poseable Figure, Seven each; Livestock Corral Sections



NEW



NEW



BX2670 Lawn Tractor & Turf Playset

77700-10057

- Discharge chute tilts up
- Adjustable ROPS
- Action figure with movable arms
- Movable plastic wheels
- Work helmet with adjustable face guard
- Includes: One each; Kubota BX2670 Lawn Tractor, Work Helmet, Weed Trimmer, Chainsaw, Leaf Blower and Poseable Figure

BX2670 Compact Tractor with Front Loader Playset

77700-10056

- Fully functioning bucket loader raises/lowers and tilts, with adjustable roll bar
- Action figure with movable arms
- Movable plastic wheels
- Includes: One each; Kubota BX2670 Tractor, and Action Figure, Four each; Plastic Lawn Tools

Tractor with Farm Animals Playset

77700-08698

- Your little farmer will love playing with this farm set, which contains animals, crops and a B-Series Tractor with easy to assemble barn and fencing
- Includes: One each; Barn, Horse, Cow, Calf, Sheep, Lamb, Corn Row, Barrel of Corn, Barrel of Tomatoes, Kubota BX2670, Trailer, Poseable Figure, Six Each; Fence Sections



Farm Tractors & Shed Set

77700-07898

- Classic 18-piece farm set
- When your day on the farm is done, put all the vehicles and animals in the large shed
- Features M5-111 and SSV65 Pull-Back tractors
- Includes: One each; M5-111 Pull-back, SSV65 Pull-back, Shed, Stake Truck, Flatbed Trailer, Two Each; Cows, Horses Three Each; Square Hay Bales, Six Each; Fence Sections

RTV-X1120D with Horses Playset

77700-08699

- Time for chores! And of course lots of fun time with the 16-piece ranch playset.
- Features RTV-X1120D with movable rubber tires
- Includes: One each; Horse Stable, Kubota RTV-X1120D, Saddle, Saddle Holder, Trough, Wheelbarrow, Hay, Poseable Figure, Bucket, Hanging Hay Feeder, Two Each; Horses, Six Each; Fence Sections

CONSTRUCTION SETS



Farm Tractors & Flatbed Semi Playset

77700-08700

- Load up the big rig and start hauling...semi tractor with detachable flatbed, moveable rubber wheels for hours of fun
- Durable diecast and plastic molded construction
- Features the SSV65 Skid Steer, M5-111 Tractor and RTV 1140 Pull-back toys
- Includes: One each; Diecast Semi Tractor, Flatbed Trailer, SSV65 Skid Steer Pull-back, M5-111 Tractor Pull-back, RTV 1140 Pull-back, Four each; Round Hay Bales, Six each; Square Hay Bales



M5-111 Tractor with Wagons & Grain Bin Set

77700-07896

- Enjoy hours of fun dispensing seed, grains or rice from elevated grain bin into the wagon
- Tractor and wagons feature movable rubber wheels
- Includes: One each; M5-111 Farm Tractor, Elevated Grain Bin, Wind Turbine, Two Each; Wagons, Round Hay Bales, Wheat Rows



Construction Equipment & Shed Set

77700-07897

- This 19-piece set provides all the young mind needs to build that road, reshape the land, and more
- Durable molded components featuring detailed graphics
- When done playing, put all the construction pieces into the large shed
- Features R630 and KX-040 Pull-Back vehicles
- Includes: One each; R630 Pull-Back, KX-040 Pull-back, Shed, Construction Barricade, Pickup Truck, Utility Trailer, Two each; Lubrication Barrels, Three each; Boulders, Warning Cones/Triangle, Five each; Directional Signs

NEW



Diecast Construction Equipment & Crane Playset

77700-10060

- This multi-piece set will keep any youngster occupied with playing on make-believe worksites
- Trolley moves back and forth and winch lowers bucket up and down
- Tower crane arm rotates 360°
- Fully functioning bucket loader raises/lowers and tilts
- Features R630, SSV65 and KX-040 Pull-Back vehicles
- Includes: One each; R630 Pull-Back, SSV65 Pull-Back, KX-040 Pull-Back, Crane with Bucket, Two each; Barrels, Three each; Boulders



Construction Equipment & Dump Truck Playset

77700-08701

- Have fun reshaping the land with this playset! Little construction workers will have a fun filled day with the dump truck and trailer with lift up gates and tilting beds.
- Durable diecast and plastic construction
- Features three Pull-back toys—KX040 Excavator, SSV65 Skid Steer and R630 Wheel Loader!
- Includes: One each; Diecast Semi Tractor with Dump Truck Bed, Dump Trailer, Trailer, KX040 Excavator Pull-back, SSV65 Skid Steer Pull-back, R630 Wheel Loader Pull-back, Three each; Detailed Boulders



BUILDING BLOCKS



RTV-GX850 Building Block Set 77700-10392

NEW



- Features tilting cargo box with opening tailgate
- Compatible with other building blocks
- Durable, bright-colored plastic blocks
- Inner cardboard tray with poly bagged blocks, decal sheet & instructions
- Accessories include: One each - RTV-XG850 Toy, Kubota Figure, Dog Figure, Tool Box, Shovel, Binoculars, Wrench, Flashlight, Walkie-Talkie, Sack



M5-111 Tractor & BV5160 Baler with Three Building Block Round Bales Set 77700-07593

- Durable, bright colored plastic blocks
- Compatible with other building block brands
- Exclusive design featuring detailed and movable components—over 400 pieces!
- Includes: One each; M5-111 Tractor, BV5160 Baler, Kubota Figure, Inner Cardboard Tray with Poly Bagged Blocks, Decal Sheet & Instruction Manual, Three Each; Building Block Round Bales



RTV-X900 Building Blocks Set 77700-08679

- Contains 182+ pieces
- Features tilting rear dump bed with opening tailgate
- Compatible with other building blocks
- Inner cardboard tray with poly bagged blocks, decal sheet & instructions
- Includes: One each; RTV-X900 Toy, Kubota Figure, Dog, Tool Box, Shovel, Binoculars, Wrench, Flashlight, Walkie-Talkie, Sack



B26TLB Tractor Building Blocks Set 77700-09185

- Contains 240+ pieces
- Exclusive design featuring detailed & movable parts
- Durable, bright colored plastic blocks
- Compatible with other building block brands
- Includes inner cardboard tray with poly-bagged blocks, decal sheet & instruction manual
- Includes: One each; B26TLB Tractor Block Toy, Kubota Figure, Nine each; Block Pieces for scooping

NEW




NEW


RTV-X1140 Deer Hunting Playset

77700-10058

- Load up the RTV and head out for a fun filled day of hunting deer with this playset
- Movable figures and durable, life-like RTV bring the outdoors to life
- Camouflage RTV-X1140 features the pull-back-n-go action
- Includes: One each; Kubota RTV-X1140 Pull-Back, Seated Hunter Figure, Standing Hunter Figure, Three Each; Deer Figures

NEW


RTV-X1120 Duck Hunting Playset

77700-10059

- Just add water—this fun filled action duck hunt set is sure to please any little hunter
- Durable action figures and RTV in camouflage make for a perfect day of pretend hunting and fun!
- Features the camouflage RTV-X1120 Pull-Back
- Includes: One each; Kubota RTV-X1120 Pull-Back, Two Each; Detailed Hunter Action Figures, Four Each; Duck Figures

RTV-X1120D Hunting Set

77700-07900

- Take an imaginative hunting trip adventure with this life-like action hunting set
- Durable construction for years of enjoyment
- Camouflage gear for the great outdoors and an RTV with moveable wheels to get you over that rugged terrain
- 14-piece set provides hours of imaginative fun and adventure
- Includes: One each; RTV-X1120D, Outdoorsman Figure, Tripod Deer Stand, Camouflage Ground Blind, Compound Bow, Two Each; Hunting Dogs, Three Each; Deer Figures, Duck Figures, Four Each; Firearms



NEW



Z700 Mower with Dodge Pickup Truck & Trailer

77700-10527

- Features the Z700 Mower pull-back toy with movable rubber wheels
- Diecast pickup truck with doors that open and close and movable plastic wheels
- Durable molded trailer with a ramp that raises and lowers for easy loading/unloading
- Includes: One each; Pull-back Toy, Diecast Pickup Truck, Trailer



77700-08702



77700-08703



77700-08704



77700-08705

Pull-Back Tractor with Ford Pickup Truck & Trailer

SSV65 Skid Steer 77700-08702

KX040 Excavator 77700-08704

R630 Wheel Loader 77700-08705

M5-111 Tractor 77700-08703

- Features the pull-back toy with a fully functioning bucket loader/front shovel and blade
- Diecast pickup truck
- Trailer ramp raises and lowers for easy loading/unloading
- Includes: One each; Pull-back Toy, Diecast Pickup Truck, Trailer




NEW

Key Chains

M7 Key Chain 77700-07254

Excavator Key Chain 77700-07255

- Perfect for your kids' backpack or purse, or your Kubota tractor key!
- High quality with authentic Kubota colors



Two-Sided Playmat with Two RTV's & Zero Turn Mower

77700-07899

- Playmat approximate size 18" x 36"
- Durable and colorful, thick playmat resists scratches
- One side features a farm scene and the reverse side features a landscape scene
- RTV's and Zero Turn Mower feature pull-back-n-go action





Kubota Dominoes

77700-07906

- Includes 28 plastic dominoes
- No reading necessary to play
- Match the most dominoes to win!
- Convenient tin for storing



NEW



500 Piece Patriotic Jigsaw Puzzle

77700-07905

- Finished size approx. 24" x 18"
- For ages 6 & up



10 Piece Turf Truck Set

77700-06298

- Equip your child with all the turf maintenance equipment needed to get the job done!
- Movable rubber tires and durable molded construction is tough enough for indoor or outdoor play!
- Rear trailer door opens so you can load up and haul the Lawn Tractor to the new job site
- Includes: One each; Trailer with Pull-Out Side Canopy and Loading Ramp, Kubota Pickup Truck, Lawn Tractor, Poseable Figure, Mower Deck, Back Pack Leaf Blower, Grass Trimmer, Chain Saw, Protective Helmet with Shield and Convenient Caddy for Accessory Tools



Coloring Book

2002644970001

- Let your imagination lead the way by diving into this coloring book
- Large, easy to color Kubota tractors and construction equipment

Embossed Aluminum Signs

- High quality aluminum with embossed graphics
- Attractive and bold permanent color printing for lasting impression
- Pre-drilled holes for easy hanging
- Size: 12" x 16"

NEW



Embossed
graphics



| Part No. | Sign Text |
|------------|--|
| 7200005417 | Reserved Parking |
| 7200005418 | Real Parts, Real Pros |
| 7200005419 | Highly Engineered, Guaranteed Performance |



NEW

Kubota Embossed Thermometer Sign

7200005420

- Easy reading 7" glass thermometer reads from 120° F/ 50° C down to -20°F / -30°C
- High quality aluminum with embossed graphics
- Durable and bright color printing for lasting impression
- Predrilled holes for easy hanging
- Size: 5" x 16"

4GB USB Drive

7200003906

- Kubota branded 4GB thumb drive



New Genuine Parts Signs

7200002802

- Size 16"x 12"
- Heavy duty tin
- Digitally printed







www.kubota.ca

© 2019 Kubota Canada Ltd.

Kubota Canada Ltd. reserves the right to change the stated specifications without notice. The catalogue is for descriptive purposes only and does not provide any express or implied warranty of any nature, including any warranty of merchantability or for a particular purpose. For complete operational information, the operations manual should be consulted. Kubota Canada Ltd. supplies products and services to Canadian residents only. For information regarding Kubota products or services outside Canada, see the Kubota Corporation's global website.